



2021-2022 INDUSTRIAL ROPE & TWINE CATALOG

NEVER BE AT THE END OF YOUR ROPE.®





Duracell Batteries®



Location Tape-High Tack/Low Tack



Hot Seat-Seat Warmers



Rain Gear

SEACO INDUSTRIES
IS ALSO A MANUFACTURER AND
A DISTRIBUTOR OF INDUSTRIAL SUPPLIES



ABOUT SEACO INDUSTRIES

Seaco Industries maintains the largest inventory of rope & twine products in the greater New York area, with strategically located warehouses across the U.S.A. Our products are manufactured to the highest level of quality with the finest materials. With our vast resources, Seaco offers our customers competitive prices and same day shipping. When you call, e-mail, or fax your order, we will give you the how, when, and where your order will be delivered. We conveniently deliver our products with our own fleet of trucks so that you are guaranteed to get what you want and when you need it. Products that need delivery outside of our dedicated delivery zone are shipped via common carrier, UPS, or Fed-Ex, based on available rates and timeframes.



A premium brand created by Seaco Industries to separate Great White® from other run of the mill brands which do not match our exceptional quality control, Great White® stands the test of time. From mason line to manila rope, double braid to polypropylene, Blutrace® sash cord to our signature Shark Board®, we have you covered.

Seaco Industries is a Certified Yale Cordage Strategic Stocking Partner.





CONTENTS

YELLOW POLYPROPYLENE ROPE	1	ULTREX 12-STRAND (UHMWPE)	19
TRUCK ROPE/BLACK AND ORANGE POLYPROPYLENE ROPE	2	MAXIBRAID 12-STRAND (UHMWPE)	20
BLACK POLYPROPYLENE ROPE	2	ULTREX PLUS DOUBLE BRAID (UHMWPE)	20
YELLOW AND BLACK POLYPROPYLENE ROPE	2	SIERRA 75 12-STRAND (UHMPE)	21
RED POLYPROPYLENE ROPE	3	PE-12 SINGLE BRAID 12-STRAND	21
UN-MANILA POLYPROPYLENE ROPE	3	SASH CORD	22
BLUE AND WHITE POOL ROPE	3	BLUTRACE® SASH CORD	23
PARACORD 550	4	TRICK LINE/TIE LINE	23
DERBY ROPE	5	WEeping CORD	24
UTILITY ROPE	5, 6	PULLING TAPE AND CONDUIT PULLING TAPE	24
MASON LINE	7	POLY PULL LINE BUCKET	25
SEINE TWINE	8	POLY TWINE (1-PLY, 2-PLY AND 3-PLY)	25
MANILA ROPE	8	DOCK LINE	26
STARTER CORD	9	FENDER LINE	27
SENSOR CORD	9	ANCHOR LINE	27
VERTICAL LIFELINE	9	SHOCK CORD/BUNGEE CORD	28
COMBO ROPE/POLYDAC	10	SISAL TWINE AND SISAL ROPE	28
FALL PROTECTION KIT	10	JUTE TWINE, JUTE WELT CORD AND JUTE ROPE	29
TOOL TETHER LANYARD	10	ITALIAN RUBY® ROPE	30
NYLON ROPE 3-STRAND TWISTED	11	ITALIAN RUBY® TWINE	30, 31
POLYESTER ROPE 3-STRAND TWISTED	11	SAUSAGE TWINE BALL	31
MULTISTRAND™ ROPE 12	12	LAMP WICK AND QUICK WICK	32
DOUBLE BRAID WITH EYES	12	TYING TWINE/CABLE CORD	32
DOUBLE BRAID WITH EYES-PORTLAND PERFORMANCE	13	COTTON WELT CORD	33
DOUBLE BRAID WITH EYES-DOUBLE ESTERLON	14	BUTCHER'S TWINE	33, 34
DOUBLE BRAID WITHOUT EYES	15	BAKERY TWINE	34
ARBORIST ROPE	15	DIAMOND BRAID NYLON ROPE	35
SOLID BRAID NYLON/FLAGPOLE	16	DIAMOND BRAID POLYESTER ROPE	35
WIRE CENTER ROPE	16	DIAMOND BRAID MULTIFILAMENT ROPE	35
POLYPLUS BRAID	17	CLOTHESLINE	36
HY-DEE BRAIT DIELECTRIC	17	HORTICULTURAL TWINE	36
ARAMID FIRE ROPE	17	ELECTRIC ROPE CUTTER	36
MAXIBRAID PLUS DOUBLE BRAID (UHMWPE)	18	CORDAGE METER	36



YELLOW POLYPROPYLENE ROPE *GREAT WHITE®*

Yellow polypropylene three strand is strong, flexible, lightweight, offers minimal stretch, tight grip without slippage, and an ability to knot and to splice easily. Unlike other ropes, including cotton, polyester, nylon and manila, polypropylene is highly buoyant, abrasion, oil, rot, mildew resistant, and can be stored wet or dry. It is often used as barrier rope and in other nautical application.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow	1/4"	50ft. coil	12	8#	1,125	YPP 100
Yellow	1/4"	100ft. coil	12	16#	1,125	YPP 101
Yellow	1/4"	300ft. spool	1	4#	1,125	YPP 102
Yellow	1/4"	600ft. spool	1	8#	1,125	YPP 103
Yellow	1/4"	1,200ft. spool	1	16#	1,125	YPP 104
Yellow	1/4"	2,400ft. spool	1	32#	1,125	YPP 105
Yellow	1/4"	3,600ft. spool	1	48#	1,125	YPP 106
Yellow	1/4"	5,000ft. spool	1	60#	1,125	YPP 107
Yellow	5/16"	100ft. coil	12	22#	1,710	YPP 136
Yellow	5/16"	600ft. spool	1	17#	1,710	YPP 133
Yellow	3/8"	50ft. coil	12	17#	2,430	YPP 108
Yellow	3/8"	100ft. coil	12	34#	2,430	YPP 109
Yellow	3/8"	300ft. spool	1	9#	2,430	YPP 123
Yellow	3/8"	600ft. spool	1	18#	2,430	YPP 110
Yellow	3/8"	1,200ft. spool	1	32#	2,430	YPP 111
Yellow	3/8"	2,400ft. spool	1	64#	2,430	YPP 112
Yellow	3/8"	3,600ft. spool	1	96#	2,430	YPP 113
Yellow	1/2"	50ft. coil	12	28#	3,780	YPP 114
Yellow	1/2"	100ft. coil	12	56#	3,780	YPP 115
Yellow	1/2"	300ft. spool	1	13#	3,780	YPP 116
Yellow	1/2"	600ft. spool	1	27#	3,780	YPP 117
Yellow	1/2"	1,200ft. spool	1	54#	3,780	YPP 118
Yellow	5/8"	600ft. spool	1	45#	5,580	YPP 119
Yellow	3/4"	600ft. spool	1	57#	7,650	YPP 120
Yellow	7/8"	600ft. spool	1	90#	10,350	YPP 121
Yellow	1"	600ft. spool	1	97#	12,825	YPP 122
Yellow	1-1/4"	600ft. coil	1	150#	18,900	YPP 124
Yellow	1-1/2"	600ft. coil	1	213#	26,800	YPP 125
Yellow	1-5/8"	600ft. coil	1	250#	30,071	YPP 137
Yellow	1-3/4"	600ft. coil	1	288#	36,900	YPP 126
Yellow	2"	600ft. coil	1	375#	46,800	YPP 127
Yellow	2-1/4"	600ft. coil	1	480#	59,400	YPP 128
Yellow	2-1/2"	600ft. coil	1	582#	72,000	YPP 129
Yellow	2-5/8"	600ft. coil	1	653#	75,001	YPP 138
Yellow	2-3/4"	600ft. coil	1	765#	94,500	YPP 130
Yellow	3"	600ft. coil	1	830#	102,600	YPP 131
Yellow	3-1/2"	600ft. coil	1	1,150#	144,000	YPP 132
Yellow	4"	600ft. coil	1	1,475#	171,900	YPP 134

Yellow Polypropylene Rope



Truck Rope/Black and Orange Polypropylene Rope

TRUCK ROPE/BLACK AND ORANGE POLYPROPYLENE ROPE

GREAT WHITE®

Truck rope is virtually identical to yellow polypropylene rope with the exception of its black and orange color. It is strong, flexible, light weight, offers minimal stretch, tight grip without slippage, ability to knot and to splice easily, and conforms to California DOT regulations for tie down.

Color	Size	Length	Pack	Weight	Strength	Part#
Black w/Orange	1/4"	600ft. spool	1	8#	1,125	TRK 100
Black w/Orange	1/4"	1,200ft. spool	1	16#	1,125	TRK 101
Black w/Orange	3/8"	50ft. coil	12	17#	2,430	TRK 109
Black w/Orange	3/8"	100ft. coil	12	34#	2,430	TRK 110
Black w/Orange	3/8"	600ft. spool	1	16#	2,430	TRK 102
Black w/Orange	7/16"	600ft. spool	1	20#	3,150	TRK 103
Black w/Orange	1/2"	50ft. coil	12	28#	3,780	TRK 111
Black w/Orange	1/2"	100ft. coil	12	56#	3,780	TRK 112
Black w/Orange	1/2"	600ft. spool	1	27#	3,780	TRK 104
Black w/Orange	1/2"	1,200ft. spool	1	54#	3,780	TRK 105
Black w/Orange	5/8"	600ft. spool	1	45#	5,580	TRK 106
Black w/Orange	3/4"	600ft. spool	1	57#	7,650	TRK 107
Black w/Orange	1"	600ft. spool	1	97#	12,825	TRK 108



Black Polypropylene Rope

BLACK POLYPROPYLENE ROPE GREAT WHITE®

Three strand twisted polypropylene rope is virtually identical to yellow polypropylene rope, with the exception of its black color. It is strong, light weight, highly rot, oil, and mildew resistant and remains buoyant on water.

Color	Size	Length	Pack	Weight	Strength	Part#
Black	3/16"	600ft. spool	1	7#	720	BPP 100
Black	1/4"	600ft. spool	1	8#	1,125	BPP 101
Black	1/4"	1,200ft. spool	1	16#	1,125	BPP 102
Black	5/16"	600ft. spool	1	17#	1,710	BPP 103
Black	3/8"	600ft. spool	1	18#	2,430	BPP 104
Black	1/2"	600ft. spool	1	27#	3,780	BPP 105
Black	5/8"	600ft. spool	1	45#	5,580	BPP 106
Black	3/4"	600ft. spool	1	57#	7,650	BPP 107



Yellow and Black Polypropylene Rope

YELLOW AND BLACK POLYPROPYLENE ROPE GREAT WHITE®

Three strand twisted polypropylene rope, also known as tiger rope or safety barrier rope, is virtually identical to yellow polypropylene rope, with the exception of its yellow and black color. It is strong, lightweight, highly rot, oil, and mildew resistant, and remains buoyant on water.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow w/Black	1/4"	600ft. spool	1	8#	1,125	YBP 100
Yellow w/Black	1/4"	1,200ft. spool	1	16#	1,125	YBP 101
Yellow w/Black	5/16"	100ft. coil	12	22#	1,710	YBP 102
Yellow w/Black	5/16"	1,200ft. spool	1	18#	1,710	YBP 103
Yellow w/Black	3/8"	600ft. spool	1	18#	2,430	YBP 104
Yellow w/Black	1/2"	600ft. spool	1	27#	3,780	YBP 105
Yellow w/Black	5/8"	600ft. spool	1	45#	5,580	YBP 106
Yellow w/Black	3/4"	600ft. spool	1	57#	7,650	YBP 107



Red Polypropylene Rope

RED POLYPROPYLENE ROPE *GREAT WHITE®*

Three strand twisted red polypropylene rope is virtually identical to yellow polypropylene rope with the exception of its red color. It is strong, lightweight, highly rot, abrasion, oil, and mildew resistant and remains buoyant on water.

Color	Size	Length	Pack	Weight	Strength	Part#
Red	1/4"	600ft. spool	1	8#	1,125	RPP 100
Red	3/8"	600ft. spool	1	18#	2,430	RPP 101
Red	1/2"	600ft. spool	1	27#	3,780	RPP 102
Red	5/8"	600ft. spool	1	45#	5,580	RPP 103
Red	3/4"	600ft. spool	1	57#	7,650	RPP 104



Un-Manila Polypropylene Rope

UN-MANILA POLYPROPYLENE ROPE *GREAT WHITE®*

Un-Manila polypropylene three strand twisted is virtually identical to yellow polypropylene fiber, yet resembles classic manila rope with its tan rustic appearance. Strong, lightweight, highly abrasion, rot, oil and mildew resistant, this synthetic buoyant rope is stronger than natural manila and provides an alternative to real manila rope.

Color	Size	Length	Pack	Weight	Strength	Part#
Tan	1/4"	600ft. spool	1	8#	1,125	UNM 100
Tan	1/4"	1,200ft. spool	1	16#	1,125	UNM 101
Tan	3/8"	600ft. spool	1	18#	2,430	UNM 102
Tan	1/2"	600ft. spool	1	27#	3,780	UNM 103
Tan	5/8"	600ft. spool	1	45#	5,580	UNM 104
Tan	3/4"	600ft. spool	1	57#	7,650	UNM 105



Blue and White Pool Rope

BLUE AND WHITE POOL ROPE *GREAT WHITE®*

Three strand twisted blue and white pool rope is virtually identical to yellow polypropylene rope with the exception of its blue and white appearance. Its strong, lightweight, highly oil, rot, moisture repellent features and buoyancy on water provide for nautical application, deep end and swimming pool markings.

Color	Size	Length	Pack	Weight	Strength	Part#
Blue w/White	1/2"	600ft. spool	1	27#	3,780	BWP 100
Blue w/White	3/4"	600ft. spool	1	57#	7,650	BWP 101




Paracord 550

PARACORD 550 *GREAT WHITE*[®]

Paracord 550 is a 100% nylon, braided, lightweight, smooth, pliable, gentle on hand rope. Originally used in the suspension of parachutes, this strong and durable cord has multiple uses including hunting, fishing, crafting, survival, and general purpose utility. It is available in nearly two hundred colors and is available in military grade standards; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Black	#5 (5/32")	50ft. hank	12	4#	550	PARA 100
Black	#5 (5/32")	500ft. spool	8	4#	550	PARA 101
Black	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 102
White	#5 (5/32")	50ft. hank	12	4#	550	PARA 103
White	#5 (5/32")	500ft. spool	8	4#	550	PARA 104
White	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 105
Yellow	#5 (5/32")	50ft. hank	12	4#	550	PARA 106
Yellow	#5 (5/32")	500ft. spool	8	4#	550	PARA 107
Yellow	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 108
Fluorescent Yellow	#5 (5/32")	50ft. hank	12	4#	550	PARA 109
Fluorescent Yellow	#5 (5/32")	500ft. spool	8	4#	550	PARA 110
Fluorescent Yellow	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 111
Fluorescent Green	#5 (5/32")	50ft. hank	12	4#	550	PARA 112
Fluorescent Green	#5 (5/32")	500ft. spool	8	4#	550	PARA 113
Fluorescent Green	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 114
Fluorescent Orange	#5 (5/32")	50ft. hank	12	4#	550	PARA 115
Fluorescent Orange	#5 (5/32")	500ft. spool	8	4#	550	PARA 116
Fluorescent Orange	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 117
Red	#5 (5/32")	50ft. hank	12	4#	550	PARA 118
Red	#5 (5/32")	500ft. spool	8	4#	550	PARA 119
Red	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 120
Olive-Drab	#5 (5/32")	50ft. hank	12	4#	550	PARA 121
Olive-Drab	#5 (5/32")	500ft. spool	8	4#	550	PARA 122
Olive-Drab	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 123
Multi-Camo	#5 (5/32")	50ft. hank	12	4#	550	PARA 124
Multi-Camo	#5 (5/32")	500ft. spool	8	4#	550	PARA 125
Multi-Camo	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 126
Coyote Tan	#5 (5/32")	50ft. hank	12	4#	550	PARA 127
Coyote Tan	#5 (5/32")	500ft. spool	8	4#	550	PARA 128
Coyote Tan	#5 (5/32")	1,000ft. spool	8	6#	550	PARA 129



Manufacturing Rope-Made in the U.S.A.



Derby Rope

DERBY ROPE *GREAT WHITE®*

Solid braided derby rope is soft, flexible, and lightweight. Highly resistant to rot, mildew, oil, and other abrasions, this multifilament polypropylene rope feels good on hand and knots easily. More economical than nylon and polyester, and more durable than natural fiber, derby rope has multiple uses including equestrian, marine, crafting, and general tie down application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Black	1/4"	100ft. hank	12	14#	530	ROC 725
Blue w/White	1/4"	100ft. hank	12	14#	530	ROC 726
Red w/White	1/4"	100ft. hank	12	14#	530	ROC 727
Black	5/16"	100ft. hank	12	14#	765	ROC 728
Blue w/White	5/16"	100ft. hank	12	21#	765	ROC 729
Red w/White	5/16"	100ft. hank	12	21#	765	ROC 730
Red w/Yellow	3/8"	50ft. hank	12	17#	1,080	DBY 102
Blue w/White	3/8"	50ft. hank	12	17#	1,080	DBY 100
Red w/White	3/8"	50ft. hank	12	17#	1,080	DBY 103
Black	3/8"	100ft. hank	12	29#	1,080	ROC 731
Blue w/White	3/8"	100ft. hank	12	29#	1,080	ROC 732
Red w/White	3/8"	100ft. hank	12	29#	1,080	ROC 733
Red w/Yellow	3/8"	100ft. hank	12	29#	1,080	DBY 101
Black	3/8"	500ft. spool	1	21#	1,080	ROC 702
Blue w/White	3/8"	500ft. spool	1	14#	1,080	ROC 703
Red w/White	3/8"	500ft. spool	1	14#	1,080	ROC 704
Black	1/2"	100ft. hank	12	48#	1,845	ROC 734
Blue w/White	1/2"	100ft. hank	12	48#	1,845	ROC 735
Red w/White	1/2"	100ft. hank	12	48#	1,845	ROC 736
Black	1/2"	300ft. spool	1	15#	1,845	ROC 705
Blue w/White	1/2"	300ft. spool	1	15#	1,845	ROC 706
Red w/White	1/2"	300ft. spool	1	15#	1,845	ROC 707
Black	5/8"	200ft. spool	1	15#	2,870	ROC 708
Blue w/White	5/8"	200ft. spool	1	15#	2,870	ROC 709
Red w/White	5/8"	200ft. spool	1	15#	2,870	ROC 710



Utility Rope-Industrial

UTILITY ROPE-INDUSTRIAL *GREAT WHITE®*

Industrial strength 100% polyester solid braided high tenacity rope is soft and solid, knots easily, and is used when added strength is required. Boasting a 3,000lb. break-strength, this premium black with white marking-no fill synthetic rope is a favorite among outdoor enthusiasts and used for towing, tie down, rigging, and pulling application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Black w/White	3/8" (#12)	50ft. hank	12	23#	3,000	ROC 660
Black w/White	3/8" (#12)	100ft. hank	12	45#	3,000	ROC 661



Utility Rope-Premium

UTILITY ROPE—PREMIUM *GREAT WHITE®*

Premium diamond braided utility rope is smooth, lightweight, and knots easily. Highly resistant to rot, mildew, oil, and abrasions, this 100% nylon rope holds solid shock absorption and break strength, won't twist and unravel, and is built to withstand harsh weather. Typical application includes fishing, camping, hunting, construction, and general tie down; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Fluorescent Yellow	1/8" (#4)	100ft. hank	12	5#	250	AIK 820
White w/Black	1/4" (#8)	50ft. hank	12	13#	800	AIK 800
White w/Black	1/4" (#8)	100ft. hank	12	26#	800	AIK 801
White w/Red	1/4" (#8)	50ft. hank	12	13#	800	AIK 808
White w/Red	1/4" (#8)	100ft. hank	12	26#	800	AIK 809
White w/Purple	1/4" (#8)	50ft. hank	12	13#	800	AIK 806
White w/Purple	1/4" (#8)	100ft. hank	12	26#	800	AIK 807
White w/Fluorescent Yellow	1/4" (#8)	50ft. hank	12	13#	800	AIK 810
White w/Fluorescent Yellow	1/4" (#8)	100ft. hank	12	26#	800	AIK 811
White w/Blue	1/4" (#8)	50ft. hank	12	26#	800	AIK 812
White w/Blue	1/4" (#8)	100ft. hank	12	26#	800	AIK 813
White	1/4" (#8)	50ft. hank	12	11#	1,325	AIK 802
White	1/4" (#8)	100ft. hank	12	21#	1,325	AIK 803
White	3/8" (#12)	50ft. hank	12	17#	2,800	AIK 816
White	3/8" (#12)	100ft. hank	12	32#	2,800	AIK 817
White w/Blue	3/8" (#12)	50ft. hank	12	19#	1,000	AIK 814
White w/Blue	3/8" (#12)	100ft. hank	12	39#	1,000	AIK 815
White	1/2" (#16)	50ft. hank	12	22#	4,200	AIK 818
White	1/2" (#16)	100ft. hank	12	42#	4,200	AIK 819



Utility Rope-Economy

UTILITY ROPE—ECONOMY *GREAT WHITE®*

Economy utility rope is 100% polypropylene, soft with diamond braided construction, and gentle on hand. Highly moisture, mold and oil resistant, this pliable rope knots easily, is available in a variety of colors, and is suitable for indoor/outdoor general multi-purpose tie down, crafting, and DIY projects.

Color	Size	Length	Pack	Weight	Strength	Part#
Red w/Blue & White	1/4" (#8)	50ft. hank	12	9#	200	ROC 808
Red w/Blue & White	1/4" (#8)	100ft. hank	12	18#	200	ROC 809
Red w/White & Yellow	3/8" (#12)	50ft. hank	12	10#	300	ROC 806
Blue w/White & Red	3/8" (#12)	50ft. hank	12	10#	300	ROC 807
Red w/White & Yellow	3/8" (#12)	100ft. hank	12	20#	300	ROC 800
Blue w/White & Red	3/8" (#12)	100ft. hank	12	20#	300	ROC 801
Fluorescent Green	5/16" (#10)	100ft. hank	12	18#	300	ROC 802
Fluorescent Pink	5/16" (#10)	100ft. hank	12	18#	300	ROC 803
Fluorescent Green	5/16" (#10)	50ft. hank	12	8#	300	ROC 804
Fluorescent Pink	5/16" (#10)	50ft. hank	12	8#	300	ROC 805



Manufacturing Utility Rope-Made in the U.S.A.



Mason Line-Twisted

MASON LINE-TWISTED *GREAT WHITE®*

Twisted mason line is 100% nylon and highly abrasion and alkali resistant. Its synthetic fiber gives added durability and prevents sagging and distortion, allowing for greater efficiency when achieving straight line brick and stone application. Available in a variety of vibrant colors, providing for maximum visibility, this line is used widespread among professional contractors, carpenters, and masons alike; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	#18	275ft. tube	12	3#	160	AIK 510
Fluorescent Green	#18	275ft. tube	12	3#	160	AIK 540
Fluorescent Yellow	#18	275ft. tube	12	3#	160	AIK 541
Fluorescent Orange	#18	275ft. tube	12	3#	160	AIK 542
Fluorescent Pink	#18	275ft. tube	12	3#	160	AIK 543
White	#18	550ft. tube	12	6#	160	AIK 1000
Fluorescent Green	#18	550ft. tube	12	6#	160	AIK 1001
Fluorescent Yellow	#18	550ft. tube	12	6#	160	AIK 1002
Fluorescent Orange	#18	550ft. tube	12	6#	160	AIK 1003
Fluorescent Pink	#18	550ft. tube	12	6#	160	AIK 1004
White	#18	1,090 ft. tube	12	12#	160	AIK 1012
Fluorescent Green	#18	1,090 ft. tube	12	12#	160	AIK 1005
Fluorescent Yellow	#18	1,090 ft. tube	12	12#	160	AIK 1006
Fluorescent Orange	#18	1,090 ft. tube	12	12#	160	AIK 1007
Fluorescent Pink	#18	1,090 ft. tube	12	12#	160	AIK 1008



Mason Line-Braided

MASON LINE-BRAIDED *GREAT WHITE®*

Braided mason line is 100% nylon and highly abrasion and alkali resistant. Its tight braided construction and synthetic fiber gives added strength, prevents sagging and unraveling, and allows for greater efficiency in achieving straight line brick and stone application. Available in a variety of vibrant colors providing for maximum visibility, this line is the preferred choice for mason, carpentry, and landscape endeavors; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	#18	250ft. tube	12	3#	160	AIK 1014
Fluorescent Green	#18	250ft. tube	12	3#	160	AIK 1015
Fluorescent Yellow	#18	250ft. tube	12	3#	160	AIK 1016
Fluorescent Orange	#18	250ft. tube	12	3#	160	AIK 1017
Fluorescent Pink	#18	250ft. tube	12	3#	160	AIK 1018
White	#18	500ft. tube	12	6#	160	AIK 1019
Fluorescent Green	#18	500ft. tube	12	6#	160	AIK 1020
Fluorescent Yellow	#18	500ft. tube	12	6#	160	AIK 1021
Fluorescent Orange	#18	500ft. tube	12	6#	160	AIK 1022
Fluorescent Pink	#18	500ft. tube	12	6#	160	AIK 1023
White	#18	1,000ft. tube	12	12#	160	AIK 1024
Fluorescent Green	#18	1,000ft. tube	12	12#	160	AIK 1025
Fluorescent Yellow	#18	1,000ft. tube	12	12#	160	AIK 1026
Fluorescent Orange	#18	1,000ft. tube	12	12#	160	AIK 1027
Fluorescent Pink	#18	1,000ft. tube	12	12#	160	AIK 1028
Black w/White	#18	500ft. tube	12	6#	160	AIK 901
Black w/Fluorescent Green	#18	500ft. tube	12	6#	160	AIK 902
Black w/Fluorescent Yellow	#18	500ft. tube	12	6#	160	AIK 903
Black w/Fluorescent Orange	#18	500ft. tube	12	6#	160	AIK 904
Black w/Fluorescent Pink	#18	500ft. tube	12	6#	160	AIK 905



Seine Twine

SEINE TWINE *GREAT WHITE®*

Industrial grade twisted seine twine, also known as chalk line, is a 100% high tenacity filament nylon that holds strong resistance to wear and tear. Highly moisture, oil, and weather resistant, this low stretch high tensile strength rope ties easily, knots securely, and won't degrade or lose strength when submerged in water. This resilient rope is often used in fishing line, net repair, and mason line application. Please note that our #72 seine is built in compliance with N.Y.C.T.A. standards and utility specification and approved for cable tie and rigging use; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	#6	4,000ft. tube	48	50#	44	AIK 582
White	#9	2,150ft. tube	48	50#	73	AIK 583
White	#12	1,500ft. tube	48	50#	86	AIK 584
White	#15	1,400ft. tube	48	50#	105	AIK 585
White	#18	1,090ft. tube	48	50#	160	AIK 586
White	#21	860ft. tube	48	50#	168	AIK 587
White	#24	750ft. tube	48	50#	212	AIK 588
White	#30	640ft. tube	48	50#	239	AIK 589
White	#36	550ft. tube	48	50#	279	AIK 590
White	#48	400ft. tube	48	50#	396	AIK 591
White	#60	300ft. tube	48	50#	495	AIK 592
White-NYCTA Specs.	#72	270ft. tube	48	50#	600	AIK 581



Manila Rope

MANILA ROPE *GREAT WHITE®*

Three strand twisted manila rope with blue marker is strand upon strand of no core pure natural fiber, offering low stretch, flexibility, solid knot retention, and an ability to splice and to store wet or dry. Oiled to prevent unwanted hair from popping out and to provide longer lifespan, this long fibered Abaca is the strongest of all the natural ropes. It is built to last, biodegradable, and stays strong when wet, making it a first choice for rigging, boating, decoration, and construction application. Manila rope is available up to 4" in diameter.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	1/4"	50ft. coil	12	12#	540	MAN 579
Natural-Tan	1/4"	100ft. coil	12	24#	540	MAN 580
Natural-Tan	1/4"	600ft. box	1	6#	540	MAN 581
Natural-Tan	1/4"	1,200ft. box	1	24#	540	MAN 582
Natural-Tan	3/8"	50ft. coil	1	12#	1,215	MAN 583
Natural-Tan	3/8"	100ft. coil	1	25#	1,215	MAN 584
Natural-Tan	3/8"	600ft. box	1	25#	1,215	MAN 585
Natural-Tan	1/2"	50ft. coil	12	45#	2,385	MAN 586
Natural-Tan	1/2"	100ft. coil	12	90#	2,385	MAN 587
Natural-Tan	1/2"	300ft. coil	1	22#	2,385	MAN 588
Natural-Tan	1/2"	600ft. coil	1	45#	2,385	MAN 589
Natural-Tan	5/8"	600ft. coil	1	80#	3,960	MAN 590
Natural-Tan	3/4"	100ft. coil	1	17#	4,860	MAN 591
Natural-Tan	3/4"	100ft. coil	1	20#	4,860	MAN 598
Natural-Tan	3/4"	300ft. coil	1	50#	4,860	MAN 592
Natural-Tan	3/4"	600ft. coil	1	100#	4,860	MAN 593
Natural-Tan	7/8"	600ft. coil	1	135#	6,930	MAN 594
Natural-Tan	1"	600ft. coil	1	160#	8,100	MAN 595
Natural-Tan	1-1/2"	600ft. coil	1	360#	16,650	MAN 596
Natural-Tan	2"	300ft. coil	1	648#	27,900	MAN 597



Starter Cord

STARTER CORD *GREAT WHITE®*

Nylon starter cord is 100% nylon and holds strength with virtually no stretch due to its tight dense braided construction. Highly resistant to gasoline, rot, mildew, and moisture, this remarkable rope is built in compliance with Briggs and Stratton specification and used in small engine application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	#4	500 ft. spool	6	24#	425	STA 100
Black	#4	500 ft. spool	6	24#	425	STA 102
White	#3	200ft. spool	8	32#	250	STA 103
White	#4	200ft. spool	8	34#	425	STA 104
White	#5	200ft. spool	8	36#	580	STA 105
White	#6	100ft. spool	8	18#	700	STA 106
White	#7	100ft. spool	8	20#	900	STA 107



Sensor Cord

SENSOR CORD *GREAT WHITE®*

Diamond braid sensor cord offers low stretch and is highly rot, mildew, and weather resistant. This 1/8" diameter vibrant yellow colored cord is used specifically for electronically controlled equipment and is available in 100% polyester and polyester Kevlar blend for added strength; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow Polyester	#4	1,000ft. spool	8	5#	400	SEN 100
White Polyester	#4	1,000ft. spool	8	5#	400	SEN 200
Yellow Polyester w/Kevlar	#4	1,000ft. spool	8	5#	1,500	SEN 300



Vertical Lifeline

VERTICAL LIFELINE *GREAT WHITE®*

Made from premium high tenacity polydac combo rope, three strand twisted vertical lifeline rope is a gentle on hand, lightweight, highly abrasion, rot, mold, and moisture resistant rope. Available with one or two snap hooks, and surpassing OSHA specifications, this rope offers extreme strength and affordability and can withstand harsh weather conditions.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Blue (sgl hook)	5/8"	25ft.	1	5#	8,650	LFL 106
White w/Blue (sgl hook)	5/8"	50ft.	1	7#	8,650	LFL 107
White w/Blue (sgl hook)	5/8"	75ft.	1	10#	8,650	LFL 108
White w/Blue (sgl hook)	5/8"	100ft.	1	13#	8,650	LFL 109
White w/Blue (sgl hook)	5/8"	150ft.	1	17#	8,650	LFL 110
White w/Blue (sgl hook)	5/8"	200ft.	1	25#	8,650	LFL 111
White w/Blue (dbl hook)	5/8"	25ft.	1	6#	8,650	LFL 100
White w/Blue (dbl hook)	5/8"	50ft.	1	8#	8,650	LFL 101
White w/Blue (dbl hook)	5/8"	75ft.	1	11#	8,650	LFL 102
White w/Blue (dbl hook)	5/8"	100ft.	1	14#	8,650	LFL 103
White w/Blue (dbl hook)	5/8"	150ft.	1	18#	8,650	LFL 104
White w/Blue (dbl hook)	5/8"	200ft.	1	26#	8,650	LFL 106



Combo Rope/Poly-Dac

COMBO ROPE/POLY-DAC *GREAT WHITE®*

Commercial grade combo rope, also known as Poly-Dacron, safety rope, or lifeline, is a 70% polyester, 30% dacron blend of high tenacity synthetic fiber. Its solid no core, no outer sheath, pure triple strand construction, gives this industrial rope high break strength, significantly surpassing OSHA lifeline break strength requirements. Lightweight, pliable, low stretch, easy on the hand, ability to knot, tie, cut, and splice, this highly rot, mold, abrasion resistant trusted rope is meant for serious application including emergency rescue, towing, rigging, climbing, disaster recovery, and fall protection.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/DbL. Blue Marker	3/8"	150ft. spool	1	5#	2,800	COM 900
White w/DbL. Blue Marker	3/8"	600ft. spool	1	27#	4,800	COM 908
White w/DbL. Blue Marker	1/2"	150ft. spool	1	9#	4,800	COM 901
White w/DbL. Blue Marker	1/2"	600ft. spool	1	38#	4,800	COM 909
White w/DbL. Blue Marker	5/8"	150ft. spool	1	15#	8,650	COM 915
White w/DbL. Blue Marker	5/8"	300ft. spool	1	24#	8,650	COM 902
White w/DbL. Blue Marker	5/8"	600ft. spool	1	48#	8,650	COM 903
White w/DbL. Blue Marker	5/8"	1,200ft. spool	1	96#	8,650	COM 904
White w/DbL. Blue Marker	5/8"	2,400ft. spool	1	192#	8,650	COM 905
White w/DbL. Blue Marker	3/4"	600ft. spool	1	60#	10,315	COM 906
White w/DbL. Blue Marker	3/4"	1,200ft. spool	1	120#	10,315	COM 907
White w/DbL. Blue Marker	1"	600ft. spool	1	132#	14,500	COM 910
White w/DbL. Blue Marker	1"	1,200ft. spool	1	265#	14,500	COM 911
White w/DbL. Blue Marker	1-1/2"	600ft. spool	1	276#	29,630	COM 912
White w/DbL. Blue Marker	1-3/4"	600ft. spool	1	384#	38,148	COM 913
White w/DbL. Blue Marker	2"	600ft. spool	1	492#	49,229	COM 914



Fall Protection Kit

FALL PROTECTION KIT

Fall roofer protection kit includes a complete set of safety products needed to ensure a secure rooftop work environment. In compliance with ASSI A10.32 and OSHA regulations, kit includes standard size vest-style 3D ring harness, temporary roof anchor, 25 ft. Polysteel rope with snap hook, manual rope grab, single leg lanyard and bucket.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow w/Blue	5/8"	25ft. hank	1	10#	400 lb. Cap	FAL 100



Tool Tether Lanyard

TOOL TETHER LANYARD

Durable and long lasting, with a lock pin carabiner on one end and nylon webbing on the other end, this heavy-duty single leg tool tether lanyard will reduce the risk of dropped and dislodged tools, providing for safer scaffolding and ladder work environment.

Color	Size	Length	Pack	Weight	Strength	Part#
Fluorescent Green w/ANSI Carabiner	1"	44"/61"	1	2#	35 lb. Cap	LAN 100



Nylon Rope 3-Strand Twisted

NYLON ROPE 3-STRAND TWISTED *GREAT WHITE®*

Twisted nylon rope is a three strand no core-no fill, braid upon braid construction. Rugged and tough, yet gentle on the hand, this 100% nylon, highly rot and abrasion resistant rope holds superior elasticity and shock absorption, knots and splices easily, and stays strong when wet. This synthetic rope is a trusted choice for marine, rigging, camping, and pulley system application. Please note that larger diameter sizing is available.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. coil	12	9#	1,490	TNR 100
White	1/4"	100ft. coil	12	18#	1,490	TNR 101
White	1/4"	600ft. spool	1	8#	1,490	TNR 102
White	1/4"	1,200ft. spool	1	16#	1,490	TNR 103
White	5/16"	50ft. coil	12	10#	2,300	TNR 113
White	5/16"	100ft. coil	12	18#	2,300	TNR 114
White	3/8"	50ft. coil	12	21#	3,340	TNR 104
White	3/8"	100ft. coil	12	42#	3,340	TNR 105
White	3/8"	600ft. spool	1	20#	3,340	TNR 106
White	1/2"	50ft. coil	12	31#	5,750	TNR 107
White	1/2"	100ft. coil	12	62#	5,750	TNR 108
White	1/2"	600ft. spool	1	31#	5,750	TNR 109
White	1/2"	1,200ft. spool	1	62#	5,750	TNR 110
White	5/8"	600ft. spool	1	66#	9,350	TNR 111
White	3/4"	600ft. spool	1	73#	12,800	TNR 112
White	1"	600ft. spool	1	73#	22,200	TNR 115

POLYESTER ROPE 3-STRAND TWISTED *GREAT WHITE®*

Three strand twisted polyester is a highly moisture weather resistant rope that offers high strength, low stretch, flexibility, and ability to splice. This durable rope is built to withstand wear and tear and remains strong when wet.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. coil	12	9#	1,315	TPR 200
White	1/4"	100ft. coil	12	18#	1,315	TPR 201
White	1/4"	600ft. spool	1	8#	1,315	TPR 202
White	1/4"	1,200ft. spool	1	16#	1,315	TPR 203
White	3/8"	50ft. coil	12	21#	2,900	TPR 204
White	3/8"	100ft. coil	12	42#	2,900	TPR 205
White	3/8"	600ft. spool	1	20#	2,900	TPR 206
White	1/2"	50ft. coil	12	31#	5,100	TPR 207
White	1/2"	100ft. coil	12	62#	5,100	TPR 208
White	1/2"	600ft. spool	1	31#	5,100	TPR 209
White	1/2"	1,260ft. spool	1	62#	5,100	TPR 212
White	5/8"	600ft. spool	1	66#	9,350	TPR 210
White	3/4"	600ft. spool	1	73#	11,300	TPR 211
White	1"	600ft. spool	1	73#	19,775	TPR 213



Polyester Rope 3-Strand Twisted



Multistrand™ Rope

MULTISTRAND™ ROPE *GREAT WHITE®*

Multistrand™ premium rigging rope, also known as “The Rigging Rope with Memory™”, is a top performance spun polyester composite which is lightweight, soft on hand, and offers excellent break strength. Its three strand twist holds great abrasion resistance, exceptional grip, and works well in wet environment. Available in two colors and four diameters, this remarkable rope reverts back to its original shape after use.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Orange Marker	3/8"	600' spool	1	26	2,900	MLT 100
White w/Orange Marker	1/2"	600' spool	1	44	5,100	MLT 101
White w/Orange Marker	5/8"	600' spool	1	68	8,500	MLT 102
White w/Orange Marker	3/4"	600' spool	1	97	10,100	MLT 103
Black	3/8"	600' spool	1	26	2,900	MLT 104
Black	1/2"	600' spool	1	44	5,100	MLT 105
Black	5/8"	600' spool	1	68	8,500	MLT 106
Black	3/4"	600' spool	1	97	10,100	MLT 107



Double Braid Rope with Eyes

DOUBLE BRAID WITH EYES *GREAT WHITE®*

Double braid high tenacity rope is a polyester rope used when strength is a requirement. Its six inch eye sewn at each end, along with high abrasion resistance and comfort, makes this white with blue double marker colored rope a solid choice for rigging and pull rope.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Blue Marker	1/4"	300ft. spool	1	7#	1,800	DBLE 300
White w/Blue Marker	1/4"	600ft. spool	1	14#	1,800	DBLE 301
White w/Blue Marker	1/4"	1,200ft. spool	1	21#	1,800	DBLE 302
White w/Blue Marker	3/8"	300ft. spool	1	14#	4,800	DBLE 327
White w/Blue Marker	3/8"	600ft. spool	1	26#	4,800	DBLE 303
White w/Blue Marker	3/8"	1,200ft. spool	1	52#	4,800	DBLE 304
White w/Blue Marker	1/2"	300ft. spool	1	23#	8,400	DBLE 305
White w/Blue Marker	1/2"	600ft. spool	1	46#	8,400	DBLE 306
White w/Blue Marker	1/2"	1,200ft. spool	1	92#	8,400	DBLE 307
White w/Blue Marker	9/16"	300ft. spool	1	29#	10,750	DBLE 308
White w/Blue Marker	9/16"	600ft. spool	1	58#	10,750	DBLE 309
White w/Blue Marker	9/16"	1,200ft. spool	1	116#	10,750	DBLE 310
White w/Blue Marker	5/8"	300ft. spool	1	41#	12,300	DBLE 311
White w/Blue Marker	5/8"	600ft. spool	1	82#	12,300	DBLE 312
White w/Blue Marker	5/8"	1,200ft. spool	1	164#	12,300	DBLE 313
White w/Blue Marker	3/4"	300ft. spool	1	50#	17,400	DBLE 314
White w/Blue Marker	3/4"	600ft. spool	1	100#	17,400	DBLE 315
White w/Blue Marker	3/4"	1,200ft. spool	1	200#	17,400	DBLE 316
White w/Blue Marker	7/8"	300ft. spool	1	72#	19,500	DBLE 317
White w/Blue Marker	7/8"	600ft. spool	1	144#	19,500	DBLE 318
White w/Blue Marker	7/8"	1,200ft. spool	1	288#	19,500	DBLE 319
White w/Blue Marker	1"	300ft. spool	1	105#	21,200	DBLE 322
White w/Blue Marker	1"	600ft. spool	1	207#	21,200	DBLE 320
White w/Blue Marker	1"	1,200ft. spool	1	414#	21,200	DBLE 323
White w/Blue Marker	1-1/8"	600ft. spool	1	260#	32,000	DBLE 324
White w/Blue Marker	1-1/8"	1,200ft. spool	1	520#	32,000	DBLE 321
White w/Blue Marker	1-1/4"	600ft. spool	1	290#	35,000	DBLE 325
White w/Blue Marker	1-1/4"	1,200ft. spool	1	580#	35,000	DBLE 326



Double Braid with Eyes-Portland Performance

DOUBLE BRAID WITH EYES-PORTLAND PERFORMANCE

YALE CORDAGE

Portland polyester double-braided rope, offers higher break strengths than standard double braid rope. Portland Braid offers consistent performance and is available in ultra-long continuous lengths, with or without eyes, and can be coated with Yale's Maxijacket urethane coating to further enhance wear resistance; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Red Marker	1/4"	300ft. spool	1	7#	2,300	DBLE 400
White w/Red Marker	1/4"	600ft. spool	1	14#	2,300	DBLE 401
White w/Red Marker	1/4"	1,200ft. spool	1	21#	2,300	DBLE 402
White w/Red Marker	5/16"	300ft. spool	1	11#	3,600	DBLE 403
White w/Red Marker	5/16"	600ft. spool	1	22#	3,600	DBLE 404
White w/Red Marker	5/16"	1,200ft. spool	1	33#	3,600	DBLE 405
White w/Red Marker	3/8"	300ft. spool	1	14#	4,900	DBLE 406
White w/Red Marker	3/8"	600ft. spool	1	26#	4,900	DBLE 407
White w/Red Marker	3/8"	1,200ft. spool	1	52#	4,900	DBLE 408
White w/Red Marker	7/16"	300ft. spool	1	19#	6,600	DBLE 409
White w/Red Marker	7/16"	600ft. spool	1	38#	6,600	DBLE 410
White w/Red Marker	7/16"	1,200ft. spool	1	76#	6,600	DBLE 411
White w/Red Marker	1/2"	300ft. spool	1	24#	10,000	DBLE 412
White w/Red Marker	1/2"	600ft. spool	1	48#	10,000	DBLE 413
White w/Red Marker	1/2"	1,200ft. spool	1	96#	10,000	DBLE 414
White w/Red Marker	9/16"	300ft. spool	1	30#	11,100	DBLE 415
White w/Red Marker	9/16"	600ft. spool	1	60#	11,100	DBLE 416
White w/Red Marker	9/16"	1,200ft. spool	1	120#	11,100	DBLE 417
White w/Red Marker	5/8"	300ft. spool	1	41#	14,900	DBLE 418
White w/Red Marker	5/8"	600ft. spool	1	82#	14,900	DBLE 419
White w/Red Marker	5/8"	1,200ft. spool	1	164#	14,900	DBLE 420
White w/Red Marker	3/4"	300ft. spool	1	50#	18,000	DBLE 421
White w/Red Marker	3/4"	600ft. spool	1	100#	18,000	DBLE 422
White w/Red Marker	3/4"	1,200ft. spool	1	200#	18,000	DBLE 423
White w/Red Marker	7/8"	300ft. spool	1	82#	29,450	DBLE 424
White w/Red Marker	7/8"	600ft. spool	1	164#	29,450	DBLE 425
White w/Red Marker	7/8"	1,200ft. spool	1	328#	29,450	DBLE 426
White w/Red Marker	1"	300ft. spool	1	110#	38,400	DBLE 427
White w/Red Marker	1"	600ft. spool	1	220#	38,400	DBLE 428
White w/Red Marker	1"	1,200ft. spool	1	440#	38,400	DBLE 429
White w/Red Marker	1-1/8"	600ft. spool	1	261#	45,000	DBLE 430
White w/Red Marker	1-1/8"	1,200ft. spool	1	520#	45,000	DBLE 431
White w/Red Marker	1-1/4"	600ft. spool	1	325#	52,000	DBLE 432
White w/Red Marker	1-1/4"	1,200ft. spool	1	648#	52,000	DBLE 433
White w/Red Marker	1-1/2"	600ft. spool	1	416#	67,000	DBLE 434
White w/Red Marker	1-1/2"	1,200ft. spool	1	832#	67,000	DBLE 435
White w/Red Marker	1-3/4"	600ft. spool	1	618#	95,000	DBLE 436
White w/Red Marker	1-3/4"	1,200ft. spool	1	1,236#	95,000	DBLE 437
White w/Red Marker	2"	600ft. spool	1	792#	124,000	DBLE 438
White w/Red Marker	2"	1,200ft. spool	1	1,584#	124,000	DBLE 439
White w/Red Marker	2-1/4"	600ft. spool	1	930#	150,000	DBLE 440
White w/Red Marker	2-1/4"	1,200ft. spool	1	1860#	150,000	DBLE 441
White w/Red Marker	2-1/2"	600ft. spool	1	1,036#	168,200	DBLE 442
White w/Red Marker	2-1/2"	1,200ft. spool	1	2,072#	168,200	DBLE 443
White w/Red Marker	2-5/8"	600ft. spool	1	1,320#	210,000	DBLE 444
White w/Red Marker	2-5/8"	1,200ft. spool	1	2,640#	210,000	DBLE 445



Double Braid Rope with Eyes-Double Esterlon

DOUBLE BRAID WITH EYES-DOUBLE ESTERLON

YALE CORDAGE

Double Esterlon polyester double braid is constructed with premium over finish polyester fiber in both its sleeve and core. Double Esterlon has low stretch, high dielectric strength, and excellent wear life. Available with or without eyes, it can also be coated with Yale's Maxijacket urethane coating to further enhance wear resistance; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Green Marker	1/4"	600ft. spool	1	14#	2,700	DBLS 100
White w/Green Marker	1/4"	1,200ft. spool	1	28#	2,700	DBLS 101
White w/Green Marker	5/16"	600ft. spool	1	20#	4,000	DBLS 102
White w/Green Marker	5/16"	1,200ft. spool	1	40#	4,000	DBLS 103
White w/Green Marker	3/8"	600ft. spool	1	26#	5,600	DBLS 104
White w/Green Marker	3/8"	1,200ft. spool	1	54#	5,600	DBLS 105
White w/Green Marker	7/16"	600ft. spool	1	33#	7,200	DBLS 106
White w/Green Marker	7/16"	1,200ft. spool	1	66#	7,200	DBLS 107
White w/Green Marker	1/2"	600ft. spool	1	47#	10,800	DBLS 108
White w/Green Marker	1/2"	1,200ft. spool	1	94#	10,800	DBLS 109
White w/Green Marker	9/16"	600ft. spool	1	58#	13,290	DBLS 110
White w/Green Marker	9/16"	1,200ft. spool	1	116#	13,290	DBLS 111
White w/Green Marker	5/8"	600ft. spool	1	83#	17,000	DBLS 112
White w/Green Marker	5/8"	1,200ft. spool	1	166#	17,000	DBLS 113
White w/Green Marker	3/4"	600ft. spool	1	100#	20,800	DBLS 114
White w/Green Marker	3/4"	1,200ft. spool	1	200#	20,800	DBLS 115
White w/Green Marker	7/8"	600ft. spool	1	144#	31,000	DBLS 116
White w/Green Marker	7/8"	1,200ft. spool	1	288#	31,000	DBLS 117
White w/Green Marker	1"	600ft. spool	1	207#	44,000	DBLS 118
White w/Green Marker	1"	1,200ft. spool	1	414#	44,000	DBLS 119
White w/Green Marker	1-1/16"	600ft. spool	1	237#	47,000	DBLS 120
White w/Green Marker	1-1/16"	1,200ft. spool	1	474#	47,000	DBLS 121
White w/Green Marker	1-1/8"	600ft. spool	1	260#	50,000	DBLS 122
White w/Green Marker	1-1/8"	1,200ft. spool	1	520#	50,000	DBLS 123
White w/Green Marker	1-1/4"	600ft. spool	1	321#	57,800	DBLS 124
White w/Green Marker	1-1/4"	1,200ft. spool	1	642#	57,800	DBLS 125
White w/Green Marker	1-5/16"	600ft. spool	1	348#	63,800	DBLS 126
White w/Green Marker	1-5/16"	1,200ft. spool	1	696#	63,800	DBLS 127
White w/Green Marker	1-1/2"	600ft. spool	1	416#	76,200	DBLS 128
White w/Green Marker	1-1/2"	1,200ft. spool	1	832#	76,200	DBLS 129
White w/Green Marker	1-5/8"	600ft. spool	1	510#	89,250	DBLS 130
White w/Green Marker	1-5/8"	1,200ft. spool	1	1,020#	89,250	DBLS 131
White w/Green Marker	1-3/4"	600ft. spool	1	624#	106,600	DBLS 132
White w/Green Marker	1-3/4"	1,200ft. spool	1	1,248#	106,600	DBLS 133
White w/Green Marker	2"	600ft. spool	1	744#	127,100	DBLS 134
White w/Green Marker	2"	1,200ft. spool	1	1,480#	127,100	DBLS 135



Double Braid Rope without Eyes

DOUBLE BRAID WITHOUT EYES *GREAT WHITE®*

Double braid rope, without eyes, is a high tenacity polyester rope used when strength is required. High abrasion resistance and comfort make this synthetic rope, available in white and black, a favorite in the entertainment industry nationwide and a good choice for rigging and pull rope; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	600ft. spool	1	14#	1,800	DBLW 700
White	3/8"	600ft. spool	1	26#	3,175	DBLW 701
White	1/2"	600ft. spool	1	46#	3,960	DBLW 702
White	5/8"	600ft. spool	1	82#	12,300	DBLW 706
White	3/4"	600ft. spool	1	100#	17,400	DBLW 707
White	7/8"	600ft. spool	1	144#	19,500	DBLW 708
White	1"	600ft. spool	1	207#	21,200	DBLW 709
White	1-1/8"	600ft. spool	1	260#	32,000	DBLW 710
White	1-1/4"	600ft. spool	1	290#	35,000	DBLW 711
Black	1/4"	600ft. spool	1	14#	1,800	DBLB 703
Black	3/8"	600ft. spool	1	26#	3,175	DBLB 704
Black	1/2"	600ft. spool	1	46#	3,960	DBLB 705
Black	5/8"	600ft. spool	1	82#	12,300	DBLB 712
Black	3/4"	600ft. spool	1	100#	17,400	DBLB 713
Black	7/8"	600ft. spool	1	144#	19,500	DBLB 714
Black	1"	600ft. spool	1	207#	21,200	DBLB 715
Black	1-1/8"	600ft. spool	1	260#	32,000	DBLB 716
Black	1-1/4"	600ft. spool	1	290#	35,000	DBLB 717



Arborist Rope Kernmaster

ARBORIST ROPE KERMASTER *YALE CORDAGE*

Kernmaster arborist static-rappelling line is constructed with a traditional "mantle" sleeve, consisting of 48 strands of polyester. Made of high tenacity polyester with a high tenacity nylon core for added strength, it is also used by the finest arborists and climbing professionals everywhere; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	3/8"	150ft. spool	1	6#	4,000	ARB 110
All Stock Colors	3/8"	300ft. spool	1	12#	4,000	ARB 111
All Stock Colors	3/8"	600ft. spool	1	24#	4,000	ARB 112
Blue w/Black	7/16"	150ft. spool	1	12#	7,800	ARB 103
Red w/Black	7/16"	150ft. spool	1	12#	7,800	ARB 104
Blue w/Black	7/16"	300ft. spool	1	22#	7,800	ARB 100
Red w/Black	7/16"	300ft. spool	1	22#	7,800	ARB 105
Blue w/Black	7/16"	600ft. spool	1	43#	7,800	ARB 101
Red w/Black	7/16"	600ft. spool	1	43#	7,800	ARB 106
Blue w/Black	7/16"	1,200ft. spool	1	86#	7,800	ARB 102
Red w/Black	7/16"	1,200ft. spool	1	86#	7,800	ARB 107
All Stock Colors	1/2"	150ft. spool	1	12#	9,200	ARB 113
All Stock Colors	1/2"	300ft. spool	1	23#	9,200	ARB 114
All Stock Colors	1/2"	600ft. spool	1	46#	9,200	ARB 115
All Stock Colors	5/8"	150ft. spool	1	18#	12,500	ARB 116
All Stock Colors	5/8"	300ft. spool	1	35#	12,500	ARB 117
All Stock Colors	5/8"	600ft. spool	1	68#	12,500	ARB 118



Solid Braid Nylon Rope/Flagpole



Manufacturing Solid Braid Nylon Rope
Made in the U.S.A.

SOLID BRAID NYLON ROPE/FLAGPOLE *GREAT WHITE*[®]

Solid braid flagpole is 100% nylon and boasts extreme dimensional stability due to its dense core and solid exterior. It's sturdy and strong, yet lightweight, flexible, soft on hand, quick to dry and easy to store. Its low stretch, good shock absorption, high rot, mold, mildew and abrasion resistance, makes this hardy halyard line a preferred choice for flagpole replacement, camping, tarp, and pulley system application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. hank	12	11#	1,325	AIK 802
White	1/4"	50ft. spool	12	12#	1,325	AIK 802SP
White	1/4"	100ft. hank	12	21#	1,325	AIK 803
White	1/4"	100ft. spool	12	24#	1,325	AIK 803SP
White	1/4"	1,000ft. spool	1	16#	1,325	ROC 455
White	5/16"	1,000ft. spool	1	31#	1,925	ROC 465
White	3/8"	1,000ft. spool	1	41#	2,800	ROC 475
White	3/8"	50ft. hank	12	11#	2,800	AIK 816
White	3/8"	50ft. spool	12	13#	2,800	AIK 816SP
White	3/8"	100ft. hank	12	21#	2,800	AIK 817
White	3/8"	100ft. spool	12	25#	2,800	AIK 817SP
White	1/2"	50ft. hank	12	22#	4,200	AIK 818
White	1/2"	50ft. spool	12	25#	4,200	AIK 818SP
White	1/2"	100ft. hank	12	42#	4,200	AIK 819
White	1/2"	100ft. spool	12	45#	4,200	AIK 819SP
White	1/2"	1,000ft. spool	1	75#	4,200	ROC 485
White	5/8"	500ft. spool	1	56#	5,000	ROC 495



Wire Center Rope

WIRE CENTER ROPE *GREAT WHITE*[®]

Solid braid wire center rope, boasts extreme dimensional stability with its added 3/32" 7x7 galvanized aircraft cable wire center, providing even more strength and stiffness than our solid braid flagpole rope as noted above. This 100% pure nylon line is used in construction and industrial application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White-Nylon	3/16"	1,000ft. spool	1	26#	920	WCR 100
White-Nylon	1/4"	500ft. spool	1	18#	920	WCR 101
White-Nylon	1/4"	1,000ft. spool	1	36#	920	WCR 102
White-Nylon	5/16"	500ft. spool	1	23#	920	WCR 103
White-Nylon	5/16"	1,000ft. spool	1	46#	920	WCR 104
White-Nylon	3/8"	500ft. spool	1	29#	920	WCR 105
White-Nylon	3/8"	1,000ft. spool	1	61#	920	WCR 106
White-Cotton	5/16"	1,000ft. spool	1	38#	920	WCR 107
White-Cotton	1/2"	1,000ft. spool	1	60#	920	WCR 108



PolyPlus Braid

POLYPLUS BRAID YALE CORDAGE

PolyPlus Braid is a 12-strand single braided rope constructed from high-tenacity polyester over "Para-ep" polyolefin in each individual strand. PolyPlus Braid is the strongest single braid polyester/polyolefin blended rope available, abrasion resistant, easy to splice and has great handling characteristics; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	1/4"	600ft. spool	1	9#	2,300	PPB 100
All Stock Colors	3/8"	600ft. spool	1	21#	4,500	PPB 101
All Stock Colors	7/16"	600ft. spool	1	27#	6,000	PPB 102
All Stock Colors	1/2"	600ft. spool	1	38#	8,500	PPB 103
All Stock Colors	9/16"	600ft. spool	1	43#	10,250	PPB 104
All Stock Colors	5/8"	600ft. spool	1	60#	12,000	PPB 105
All Stock Colors	3/4"	600ft. spool	1	80#	17,000	PPB 106



Hy-Dee Brait Dielectric

HY-DEE BRAIT DIELECTRIC YALE CORDAGE

Hy-Dee Brait is an 8-strand bi-polymer rope boasting extraordinary dielectric properties. This rope is nubby, provides excellent grip, and is treated with a proprietary chemical mixture which Yale refers to as "Aralube-Dielectric". Hy-Dee Brait is currently the highest dielectric-strength rope commercially available; made in U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Orange	3/8"	600ft. spool	1	20#	3,200	HTD 100
Orange	1/2"	600ft. spool	1	20#	5,600	HTD 101
Orange	9/16"	600ft. spool	1	20#	6,300	HTD 102
Orange	5/8"	600ft. spool	1	20#	7,800	HTD 103
Orange	3/4"	600ft. spool	1	20#	10,500	HTD 104



Aramid Fire Rope

ARAMID FIRE ROPE *GREAT WHITE®*

Designed to withstand intense heat without burning, this synthetic rope offers exceptional strength. Relied upon by emergency responders, military units, and aerospace professionals, this rope offers trust and protection.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow	10mm	100ft. hank	12	70#	12,230	ARA 100
Yellow	10mm	500ft. spool	1	35#	12,230	ARA 600



Aramid Fire Rope Tech-Kern

ARAMID FIRE ROPE TECH-KERN YALE CORDAGE

Tech-Kern is a Kernmantle-style rope consisting of a braided Technora™ Aramid core covered by a 48-strand Technora™ mantle. It holds high heat resistance and tremendous break strength; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow	11.4mm	600ft. spool	1	46#	21,000	ARA 700



Maxibraid Plus Double Braid-UHMWPE

MAXIBRAID PLUS DOUBLE BRAID-UHMWPE



Maxibraid Plus is a double braided rope constructed from an inner load-bearing core of Ultra High Molecular Weight Polyethylene UHMWPE fiber, covered with a polyester outer sleeve. Its core is coated with Yale's Maxijacket coating for added toughness; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	1/4"	600ft. spool	1	15#	5,400	MXPL 100
All Stock Colors	5/16"	600ft. spool	1	19#	9,300	MXPL 101
All Stock Colors	3/8"	600ft. spool	1	25#	12,500	MXPL 102
All Stock Colors	7/16"	600ft. spool	1	35#	15,000	MXPL 103
All Stock Colors	1/2"	600ft. spool	1	45#	21,000	MXPL 104
All Stock Colors	9/16"	600ft. spool	1	55#	28,000	MXPL 105
All Stock Colors	5/8"	600ft. spool	1	70#	34,000	MXPL 106
All Stock Colors	3/4"	600ft. spool	1	88#	44,000	MXPL 107
All Stock Colors	13/16"	600ft. spool	1	105#	48,000	MXPL 108
All Stock Colors	7/8"	600ft. spool	1	138#	63,000	MXPL 109
All Stock Colors	1"	600ft. spool	1	165#	75,000	MXPL 110
All Stock Colors	1-1/8"	600ft. spool	1	215#	100,000	MXPL 111
All Stock Colors	1-1/4"	600ft. spool	1	230#	112,000	MXPL 112
All Stock Colors	1-5/16"	600ft. spool	1	275#	123,000	MXPL 113
All Stock Colors	1-1/2"	600ft. spool	1	335#	160,000	MXPL 114
All Stock Colors	1-5/8"	600ft. spool	1	435#	170,000	MXPL 115
All Stock Colors	1-3/4"	600ft. spool	1	500#	214,000	MXPL 116



ULTREX 12-STRAND-UHMWPE YALE CORDAGE

Ultrex is a 12-strand single braid of Ultra High Molecular Weight Polyethylene UHMWPE fiber enhanced with Yale's Maxijacket High Performance coating which supplies superior abrasion resistance. Its braid angles and twist level of Ultrex are designed to optimize break strength and to keep low stretch, holding zero water absorption and maintaining flexibility, even in freezing conditions; made in the U.S.A.



Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	1/16'	600ft. spool	1	1#	800	ULT 100
All Stock Colors	1/8"	600ft. spool	1	2#	2,200	ULT 101
All Stock Colors	5/32"	600ft. spool	1	3#	3,400	ULT 102
All Stock Colors	3/16"	600ft. spool	1	6#	6,000	ULT 103
All Stock Colors	1/4"	600ft. spool	1	11#	10,000	ULT 104
All Stock Colors	5/16"	600ft. spool	1	15#	13,500	ULT 105
All Stock Colors	3/8"	600ft. spool	1	21#	20,000	ULT 106
All Stock Colors	7/16"	600ft. spool	1	28#	25,700	ULT 107
All Stock Colors	1/2"	600ft. spool	1	38#	37,400	ULT 108
All Stock Colors	9/16"	600ft. spool	1	45#	45,000	ULT 109
All Stock Colors	5/8"	600ft. spool	1	54#	53,000	ULT 110
All Stock Colors	3/4"	600ft. spool	1	75#	75,000	ULT 111
All Stock Colors	7/8"	600ft. spool	1	106#	98,000	ULT 112
All Stock Colors	1"	600ft. spool	1	128#	120,000	ULT 113
All Stock Colors	1-1/8"	600ft. spool	1	175#	148,000	ULT 114
All Stock Colors	1-1/4"	600ft. spool	1	220#	172,000	ULT 115
All Stock Colors	1-5/16"	600ft. spool	1	255#	184,000	ULT 116
All Stock Colors	1-1/2"	600ft. spool	1	345#	230,000	ULT 117
All Stock Colors	1-5/8"	600ft. spool	1	395#	285,000	ULT 118
All Stock Colors	1-3/4"	600ft. spool	1	475#	330,000	ULT 119
All Stock Colors	2"	600ft. spool	1	552#	390,000	ULT 120
All Stock Colors	2-1/8"	600ft. spool	1	625#	430,000	ULT 121
All Stock Colors	2-1/4"	600ft. spool	1	695#	480,000	ULT 122
All Stock Colors	2-1/2"	600ft. spool	1	835#	530,000	ULT 123
All Stock Colors	2-5/8"	600ft. spool	1	950#	598,000	ULT 124
All Stock Colors	2-3/4"	600ft. spool	1	1,065#	660,000	ULT 125
All Stock Colors	3"	600ft. spool	1	1,220#	760,000	ULT 126

Ultrex-12 Strand-UHMWPE



Maxibraid 12-Strand-UHMWPE

MAXIBRAID 12-STRAND-UHMWPE

Maxibraid is a 12-strand single braid rope constructed from Ultra High Molecular Polyethylene UHMWPE fiber. With extremely low stretch and a firmer lay, Maxibraid retains higher percentages of original breaking strength after use in the field for extended periods; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	1/8"	600ft. spool	1	3#	1,800	MAX 100
All Stock Colors	5/32"	600ft. spool	1	5#	2,700	MAX 101
All Stock Colors	3/16"	600ft. spool	1	7#	4,300	MAX 102
All Stock Colors	1/4"	600ft. spool	1	10#	6,600	MAX 103
All Stock Colors	5/16"	600ft. spool	1	15#	9,800	MAX 104
All Stock Colors	3/8"	600ft. spool	1	22#	14,300	MAX 105
All Stock Colors	7/16"	600ft. spool	1	25#	18,000	MAX 106
All Stock Colors	1/2"	600ft. spool	1	40#	26,500	MAX 107
All Stock Colors	9/16"	600ft. spool	1	46#	32,000	MAX 108
All Stock Colors	5/8"	600ft. spool	1	56#	39,500	MAX 109
All Stock Colors	3/4"	600ft. spool	1	78#	49,000	MAX 110
All Stock Colors	7/8"	600ft. spool	1	105#	69,000	MAX 111
All Stock Colors	1"	600ft. spool	1	128#	82,000	MAX 112
All Stock Colors	1-1/8"	600ft. spool	1	160#	108,000	MAX 113
All Stock Colors	1-1/4"	600ft. spool	1	210#	120,000	MAX 114
All Stock Colors	1-5/16"	600ft. spool	1	240#	130,000	MAX 115
All Stock Colors	1-1/2"	600ft. spool	1	275#	156,000	MAX 116
All Stock Colors	1-3/4"	600ft. spool	1	425#	230,000	MAX 117
All Stock Colors	2"	600ft. spool	1	500#	250,000	MAX 118



Ultrex Plus Double Braid-UHMWPE

ULTREX PLUS DOUBLE BRAID-UHMWPE



Ultrex Plus is a double braid rope constructed with an inner load-bearing core of Ultra High Molecular Weight Polyethylene UHMWPE and treated with Yale's Maxijacket for enhanced toughness. Sleeved with high tenacity polyester, Ultrex Plus holds significantly higher tensile strength than standard polyester double braid rope; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	1/4"	600ft. spool	1	144#	6,000	ULTP 100
All Stock Colors	5/16"	600ft. spool	1	18#	9,500	ULTP 101
All Stock Colors	3/8"	600ft. spool	1	23#	12,700	ULTP 102
All Stock Colors	7/16"	600ft. spool	1	30#	15,300	ULTP 103
All Stock Colors	1/2"	600ft. spool	1	44#	22,000	ULTP 104
All Stock Colors	9/16"	600ft. spool	1	55#	28,000	ULTP 105
All Stock Colors	5/8"	600ft. spool	1	70#	34,000	ULTP 106
All Stock Colors	3/4"	600ft. spool	1	85#	45,000	ULTP 107
All Stock Colors	7/8"	600ft. spool	1	138#	63,000	ULTP 108
All Stock Colors	1"	600ft. spool	1	156#	75,000	ULTP 109
All Stock Colors	1-1/8"	600ft. spool	1	215#	100,000	ULTP 110
All Stock Colors	1-1/4"	600ft. spool	1	261#	120,000	ULTP 111
All Stock Colors	1-5/16"	600ft. spool	1	275#	148,000	ULTP 112
All Stock Colors	1-1/2"	600ft. spool	1	368#	172,000	ULTP 113
All Stock Colors	1-5/8"	600ft. spool	1	430#	184,000	ULTP 114
All Stock Colors	1-3/4"	600ft. spool	1	515#	230,000	ULTP 115
All Stock Colors	2"	600ft. spool	1	652#	285,000	ULTP 116



Sierra 75 12-Strand-UHMPE

SIERRA 75 12-STRAND-UHMPE YALE CORDAGE

Sierra 75 is a 12-strand single braid Dyneema® SK75 UHMPE fiber, enhanced with Yale's Maxijacket High Performance coating. It is built tough and designed for enhanced strength to meet demands of most applications. Also available is Sierra-78, a 12-strand single braid bio-based certified green eco-friendly Dyneema® fiber product; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Yellow w/Blue Tracer	1/16"	600ft. spool	1	1#	820	S75-100
Yellow w/Blue Tracer	1/8"	600ft. spool	1	2#	2,270	S75-101
Yellow w/Blue Tracer	5/32"	600ft. spool	1	3#	3,500	S75-102
Yellow w/Blue Tracer	3/16"	600ft. spool	1	9#	6,180	S75-103
Yellow w/Blue Tracer	1/4"	600ft. spool	1	15#	10,300	S75-104
Yellow w/Blue Tracer	5/16"	600ft. spool	1	22#	15,240	S75-105
Yellow w/Blue Tracer	3/8"	600ft. spool	1	32#	20,600	S75-106
Yellow w/Blue Tracer	7/16"	600ft. spool	1	42#	27,300	S75-107
Yellow w/Blue Tracer	1/2"	600ft. spool	1	58#	38,520	S75-108
Yellow w/Blue Tracer	9/16"	600ft. spool	1	72#	46,350	S75-109
Yellow w/Blue Tracer	5/8"	600ft. spool	1	85#	54,590	S75-110
Yellow w/Blue Tracer	3/4"	600ft. spool	1	125#	77,250	S75-111
Yellow w/Blue Tracer	7/8"	600ft. spool	1	160#	100,940	S75-112
Yellow w/Blue Tracer	1"	600ft. spool	1	216#	123,600	S75-113
Yellow w/Blue Tracer	1-1/8"	600ft. spool	1	257#	152,440	S75-114
Yellow w/Blue Tracer	1-1/4"	600ft. spool	1	303#	177,160	S75-115
Yellow w/Blue Tracer	1-5/16"	600ft. spool	1	374#	189,520	S75-116
Yellow w/Blue Tracer	1-1/2"	600ft. spool	1	444#	252,860	S75-117
Yellow w/Blue Tracer	1-5/8"	600ft. spool	1	554#	293,550	S75-118
Yellow w/Blue Tracer	1-3/4"	600ft. spool	1	663#	339,900	S75-119
Yellow w/Blue Tracer	2"	600ft. spool	1	807#	401,700	S75-120



PE-12 Single Braid 12-Strand

PE-12 SINGLE BRAID 12-STRAND YALE CORDAGE

PE-12 is a 12-strand single braid polyester rope, made with a single-end-per-carrier construction, which keeps the rope from flattening out in service. It self-centers in sheaves beautifully, is easy to splice, and field repairs are easily accomplished. The PE-12 comes with Yale's tough Maxijacket urethane coating, adding to its ruggedness. Available in unlimited lengths and a variety of colors, PE-12 is torque free and remains undamaged when rigging with swivels; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
All Stock Colors	5/16"	unlimited	1	2.9 lbs./100ft.	3,900	PE12-100
All Stock Colors	3/8"	unlimited	1	3.9 lbs./100ft.	5,900	PE12-101
All Stock Colors	7/16"	unlimited	1	6.4 lbs./100ft.	10,000	PE12-102
All Stock Colors	1/2"	unlimited	1	8.5 lbs./100ft.	12,500	PE12-103
All Stock Colors	9/16"	unlimited	1	10.5 lbs./100ft.	15,800	PE12-104
All Stock Colors	5/8"	unlimited	1	11.4 lbs./100ft.	18,500	PE12-105
All Stock Colors	3/4"	unlimited	1	17.4 lbs./100ft.	23,250	PE12-106
All Stock Colors	7/8"	unlimited	1	25.9 lbs./100ft.	34,350	PE12-107
All Stock Colors	1"	unlimited	1	31.3 lbs./100ft.	41,600	PE12-108



Sash Cord

SASH CORD *GREAT WHITE®*

Solid braid high tensile sash cord is lightweight, durable, and soft on the hand. Its sturdy synthetic polyester core and 100% cotton outer sheath provides for added stability. Available in hanks and spools, this cord is the preferred choice for oil and rigging, window replacement, tie down, clothesline, and entertainment industry application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White-Natural	#6 (3/16")	100ft. hank	12	10#	240	ROC 290
White-Natural	#6 (3/16")	1,200ft. spool	1	12#	240	ROC 291
White-Natural	#8 (1/4")	100ft. hank	12	17#	750	ROC 310
White-Natural	#8 (1/4")	1,200ft. spool	1	20#	750	ROC 311
White-Natural	#10 (5/16")	100ft. hank	12	27#	1,200	ROC 315
White-Natural	#10 (5/16")	1,200ft. spool	1	32#	1,200	ROC 320
White-Natural	#12 (3/8")	100ft. hank	12	39#	2,000	ROC 316
White-Natural	#12 (3/8")	1,200ft. spool	1	44#	2,000	ROC 317
White-Natural	#16 (1/2")	100ft. hank	12	53#	3,000	ROC 318
White-Natural	#16 (1/2")	1,000ft. spool	1	57#	3,000	ROC 319
Black	#6 (3/16")	100ft. hank	12	10#	230	ROC 229
Black	#6 (3/16")	1,200ft. spool	1	12#	230	ROC 612
Black	#8 (1/4")	100ft. hank	12	18#	600	ROC 330
Black	#8 (1/4")	1,200ft. spool	1	21#	600	ROC 335
Black	#10 (5/16")	100ft. hank	12	37#	850	ROC 340
Black	#10 (5/16")	1,200ft. spool	1	39#	850	ROC 345
Black	#12 (3/8")	100ft. hank	12	39#	1,475	ROC 346
Black	#12 (3/8")	1,200ft. spool	1	44#	1,475	ROC 350
Black	#16 (1/2")	100ft. hank	12	53#	1,800	ROC 321
Black	#16 (1/2")	1,000ft. spool	1	57#	1,800	ROC 322



Manufacturing Sash Cord-Made in the U.S.A.



BluTrace™ Sash Cord

BLUTRACE™ SASH CORD *GREAT WHITE®*

Our BluTrace™ sash cord is nearly identical to our traditional sash cord, with the exception of its color. An added blue polyester tracer allows for identification in situations where multiple cords are being utilized simultaneously. Available in hanks and spools, this rope is a favorite in entertainment, oil and rigging, window replacement, tie down, and clothesline application. Note: please inquire about other diameter sized BluTrace™ ropes; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Blue Marker	#8 (1/4")	100ft. hank	12	17#	750	ROC 701
White w/Blue Marker	#8 (1/4")	1,200ft. spool	1	20#	750	ROC 312
White w/Blue Marker	#10 (5/16")	100ft. hank	12	27#	850	ROC 700
White w/Blue Marker	#10 (5/16")	1,200ft. spool	1	32#	850	ROC 713



Trick Line/Tie Line

TRICK LINE/TIE LINE *GREAT WHITE®*

Trick line, also known as tie line, is a cotton cord with synthetic center and braided construction for added strength. Available in black and white, as well as glazed and unglazed, this rope is typically used in the entertainment industry and in awning application. Note: glazed trick line is intentionally a much stiffer cord than non-glazed trick line.

Color	Size	Length	Pack	Weight	Strength	Part#
Black-Unglazed	#4 (1/8")	48ft. hank	12	2#	210	ROC 355
Black-Unglazed	#4 (1/8")	300ft. spool	4	8#	210	ROC 354
Black-Unglazed	#4 (1/8")	600ft. spool	8	22#	210	ROC 360
Black-Unglazed	#4 (1/8")	1,000ft. spool	4	30#	210	ROC 384
Black-Unglazed	#4 (1/8")	1,500ft. spool	1	7#	210	ROC 362
Black-Unglazed	#4 (1/8")	3,000ft. spool	1	14#	210	ROC 371
White-Unglazed	#4 (1/8")	48ft. hank	12	2#	210	ROC 375
White-Unglazed	#4 (1/8")	600ft. spool	8	22#	210	ROC 380
White-Unglazed	#4 (1/8")	1,500ft. spool	1	7#	210	ROC 387
White-Unglazed	#4 (1/8")	3,000ft. spool	1	13#	210	ROC 385
Black-Glazed	#4 (1/8")	48ft. hank	12	2#	210	ROC 386
Black-Glazed	#4 (1/8")	600ft. spool	6	26#	210	ROC 361
Black-Glazed	#4 (1/8")	1,500ft. spool	1	9#	210	ROC 363
Black-Glazed	#4 (1/8")	3,000ft. spool	1	16#	210	ROC 366
White-Glazed	#4 (1/8")	48ft. hank	12	2#	210	ROC 367
White-Glazed	#4 (1/8")	600ft. spool	8	24#	210	ROC 381
White-Glazed	#4 (1/8")	1,500ft. spool	1	8#	210	ROC 383
White-Glazed	#4 (1/8")	3,000ft. spool	1	14#	210	ROC 382



Weeping Cord

WEeping CORD *GREAT WHITE®*

Solid braid weeping cord is 100% pure cotton. Its soft pliable features, along with its strong water absorption, makes it a favorite among masons, contractors, and crafters alike; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	5/32"	100ft. hank	12	8#	100	WEP 100
White	5/32"	1,200ft. spool	1	9#	100	WEP 101
White	3/16"	100ft. hank	12	10#	130	WEP 102
White	3/16"	1,200ft. spool	1	11#	130	WEP 103
White	7/32"	100ft. hank	12	11#	140	WEP 104
White	7/32"	1,200ft. spool	1	14#	140	WEP 105
White	1/4"	100ft. hank	12	15.5#	180	WEP 106
White	1/4"	1,200ft. spool	1	18#	180	WEP 107
White	5/16"	100ft. hank	12	22.5#	230	WEP 108
White	5/16"	1,200ft. spool	1	27.5#	230	WEP 109
White	3/8"	100ft. hank	12	28#	240	WEP 110
White	3/8"	1,200ft. spool	1	33#	240	WEP 111
White	1/2"	100ft. hank	12	50.5#	290	WEP 112
White	1/2"	1,200ft. spool	1	56#	290	WEP 113



Pulling Tape

PULLING TAPE *GREAT WHITE®*

Woven 100% polyester pulling tape has high tensile strength, low elongation, and is lightweight. This cable pulling cord is easily blown through conduits and ducts, and has printed sequential footage marking for accurate measurement; made in U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/2"	3,000ft. spool	1	23#	1,250	PPL 4435
White	5/8"	3,000ft. spool	1	34#	1,800	PPL 4436
White	3/4"	3,000ft. spool	1	48#	2,500	PPL 4437



Conduit Pulling Tape

CONDUIT PULLING TAPE *GREAT WHITE®*

Conduit pulling tape, also known as Herculine™, is used for the measuring and pulling of fiber optic and other lightweight cables. Made from woven polyester and designed for telecommunications, power utility, and CATV industries, this high tensile strength, low stretch, and lightweight cord is easily blown through conduit and ducts. Printed sequential footage marking allows for accurate measurement; made in U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	3/16"	3,000ft. spool	8	30#	160	CON 100



Poly Pull Line

1-PLY POLY PULL LINE BUCKET *GREAT WHITE®*

Commercial grade blue and white one ply twisted polypropylene twine is ideal for pulling wire or rope through conduit. It has high tensile strength, cuts easily, will not rot or mildew, and comes in a five gallon center pull top bucket.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Blue	1-ply	6,500ft. bucket	1	10#	210	PPL-65
White w/Blue	1-ply	6,500ft. bucket	48	480#	210	PPL-65



1-Ply Poly Twine

1-PLY POLY TWINE *GREAT WHITE®*

Economy grade one ply twisted polypropylene is a tough, yet lightweight and affordable rope that offers a powerful resistance to water, rot, mildew, and oil. It has good tensile strength and cuts easily. It is often used in bundling and tie down application, and is available in a center pull top box construction.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1-ply	6,500ft. box	6	57#	193	PLY-1
White	1-ply	6,500ft. box	100	950#	193	PLY-1



2-Ply Poly Twine

2-PLY POLY TWINE *GREAT WHITE®*

Premium grade two ply twisted polypropylene is a tough, yet lightweight and affordable rope that offers a powerful resistance to water, rot, mildew, and oil. It has higher tensile strength than one ply twisted polypropylene twine and cuts easily. It is often used in bundling and tie down application, and is available in a center top box construction.

Color	Size	Length	Pack	Weight	Strength	Part#
White	2-ply	4,200ft. box	6	57#	341	PLY-2
White	2-ply	4,200ft. box	100	950#	341	PLY-2



3-Ply Poly Twine

3-PLY POLY TWINE *GREAT WHITE®*

Industrial grade three ply twisted polypropylene is a tough, yet lightweight and affordable rope that offers a powerful resistance to water, rot, mildew, and oil. It has higher tensile strength than one and two ply twisted polypropylene, and cuts easily. It is often used in bundling and tie down application, and is available in a center pull top box construction.

Color	Size	Length	Pack	Weight	Strength	Part#
White	3-ply	2,800ft. box	6	57#	518	PLY-3
White	3-ply	2,800ft. box	100	950#	518	PLY-3



Dock Line

DOCK LINE GREAT WHITE®

Double braided nylon dock line, with factory spliced 12" eye on one end, is strong, lightweight, flexible, and easy to handle. Nylon has great strength and shock load resistance, is stronger than 3-strand lines and is built to last.

Color	Size	Length	Pack	Weight	Strength	Part#
White	3/8"	15ft.	10	9#	4,400	DOC 100
White	3/8"	20ft.	10	11#	4,400	DOC 105
White	3/8"	25ft.	10	14#	4,400	DOC 110
White	3/8"	30ft.	10	17#	4,400	DOC 111
White	1/2"	15ft.	10	16#	7,800	DOC 115
White	1/2"	20ft.	6	21#	7,800	DOC 120
White	1/2"	25ft.	6	28#	7,800	DOC 125
White	1/2"	30ft.	6	35#	7,800	DOC 126
White	5/8"	15ft.	6	16#	7,800	DOC 129
White	5/8"	20ft.	6	22#	7,800	DOC 134
White	5/8"	25ft.	6	28#	12,200	DOC 130
White	5/8"	30ft.	6	40#	12,200	DOC 135
White	3/4"	15ft.	6	20#	17,350	DOC 138
White	3/4"	20ft.	6	22#	17,350	DOC 139
White	3/4"	25ft.	6	25#	17,350	DOC 140
White	3/4"	30ft.	6	30#	17,350	DOC 145
White w/Gold	3/8"	15ft.	10	9#	4,400	DOC 100-G
White w/Gold	3/8"	20ft.	10	11#	4,400	DOC 105-G
White w/Gold	3/8"	25ft.	10	14#	4,400	DOC 110-G
White w/Gold	3/8"	30ft.	10	17#	4,400	DOC 111-G
White w/Gold	1/2"	15ft.	10	16#	7,800	DOC 115-G
White w/Gold	1/2"	20ft.	6	21#	7,800	DOC 120-G
White w/Gold	1/2"	25ft.	6	28#	7,800	DOC 125-G
White w/Gold	1/2"	30ft.	6	35#	7,800	DOC 126-G
White w/Gold	5/8"	15ft.	6	16#	7,800	DOC 129-G
White w/Gold	5/8"	20ft.	6	22#	7,800	DOC 134-G
White w/Gold	5/8"	25ft.	6	28#	12,200	DOC 130-G
White w/Gold	5/8"	30ft.	6	40#	12,200	DOC 135-G
White w/Gold	3/4"	15ft.	6	20#	17,350	DOC 138-G
White w/Gold	3/4"	20ft.	6	22#	17,350	DOC 139-G
White w/Gold	3/4"	25ft.	6	25#	17,350	DOC 140-G
White w/Gold	3/4"	30ft.	6	30#	17,350	DOC 145-G
Black	3/8"	15ft.	10	9#	4,400	DOC 100-B
Black	3/8"	20ft.	10	11#	4,400	DOC 105-B
Black	3/8"	25ft.	10	14#	4,400	DOC 110-B
Black	3/8"	30ft.	10	17#	4,400	DOC 111-B
Black	1/2"	15ft.	10	16#	7,800	DOC 115-B
Black	1/2"	20ft.	6	21#	7,800	DOC 120-B
Black	1/2"	25ft.	6	28#	7,800	DOC 125-B
Black	1/2"	30ft.	6	35#	7,800	DOC 126-B
Black	5/8"	15ft.	6	16#	7,800	DOC 129-B
Black	5/8"	20ft.	6	22#	7,800	DOC 134-B
Black	5/8"	25ft.	6	28#	12,200	DOC 130-B
Black	5/8"	30ft.	6	40#	12,200	DOC 135-B
Black	3/4"	15ft.	6	20#	17,350	DOC 138-B
Black	3/4"	20ft.	6	22#	17,350	DOC 139-B
Black	3/4"	25ft.	6	25#	17,350	DOC 140-B
Black	3/4"	30ft.	6	30#	17,350	DOC 145-B



Fender Line

FENDER LINE *GREAT WHITE*[®]

Nylon double braid fender line, with sewn in 12" eye on one end, is 100% nylon and highly oil, rot, and mildew resistant. Soft on hand, watercraft, and boat finish, this flexible line offers optimum strength and protection when securing boat bumpers and boat fenders. It can be stored wet or dry and maintains its features.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Eye	1/4"	6ft.	10	1#	1,800	FEN 100
White w/Eye	5/16"	6ft.	10	1.5#	2,400	FEN 101
White w/Eye	3/8"	6ft.	6	1.5#	3,175	FEN 102



Anchor Line-Nylon Double Braid

ANCHOR LINE-NYLON DOUBLE BRAID *GREAT WHITE*[®]

Double braid anchor line is 100% nylon, highly mold and moisture resistant, and conveniently stores tangle free. It presents with a stainless steel non corrosive thimble for simple connection to anchor. Its superior strength, durability, pliability and abrasion resistance, along with ease on the hands due to its braided construction, makes this rope a favorite for anchor rode setups.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Metal Thimble	3/8"	100ft. spool	1	5#	4,400	ANC 100
White w/Metal Thimble	1/2"	150ft. spool	1	10#	8,400	ANC 102
White w/Metal Thimble	5/8"	150ft. spool	1	15#	12,200	ANC 101



Anchor Line-Nylon 3-Strand

ANCHOR LINE-NYLON 3-STRAND *GREAT WHITE*[®]

Three strand twisted anchor line is 100% nylon, highly mold and moisture resistant, and presents with a stainless steel non corrosive thimble for simple connection to anchor. Its three strand construction retains elastic features, allowing this rope to stretch under load and to handle dynamic shock waves.

Color	Size	Length	Pack	Weight	Strength	Part#
White w/Metal Thimble	3/8"	50ft. spool	1	4#	3,340	ANC 110
White w/Metal Thimble	3/8"	100ft. spool	1	9#	3,340	ANC 111
White w/Metal Thimble	3/8"	150ft. spool	1	14#	3,340	ANC 112
White w/Metal Thimble	1/2"	100ft. spool	1	8#	5,750	ANC 113
White w/Metal Thimble	1/2"	150ft. spool	1	10#	5,750	ANC 114
White w/Metal Thimble	1/2"	200ft. spool	1	12#	5,750	ANC 115



Shock Cord/Bungee Cord

SHOCK CORD/BUNGEE CORD *GREAT WHITE®*

Shock cord, also known as bungee cord, is a premium rubber covered with tough woven nylon to ensure protection from exterior conditions. Extreme strength, stretch, shock absorption, easy to cut, and snap back features make this elastic rope a preferred choice for adventure sports, bundling, and securing loads under pressure.

Color	Size	Length	Pack	Weight	Strength	Part#
Black	3/16"	500ft. coil	6	60#	200	SHK 108
Black	3/16"	1,000ft. coil	6	120#	200	SHK 111
Grey	3/16"	1,000ft. coil	6	120#	200	SHK 112
White	1/4"	50ft. coil	12	10#	300	SHK 100
Black	1/4"	250ft. coil	6	28#	300	SHK 102
Black	1/4"	500ft. coil	6	55#	300	SHK 109
Black	1/4"	1,000ft. coil	6	110#	300	SHK 113
White	5/16"	50ft. coil	12	21#	350	SHK 103
Black	5/16"	250ft. coil	6	48#	350	SHK 104
Black	5/16"	500ft. coil	6	98#	350	SHK 110
White	3/8"	50ft. coil	12	29#	400	SHK 105
Black	3/8"	250ft. coil	6	71#	400	SHK 106
Black	1/2"	250ft. coil	6	71#	450	SHK 107
Black	1/2"	1,000ft. coil	6	290#	450	SHK 114



Sisal Twine

SISAL TWINE *GREAT WHITE®*

All natural and unoiled sisal twine is biodegradable and eco-friendly. It ties well and offers strength without bulk. Used in agricultural application requiring clean untreated product, this sustainable, durable, and twisted wheat colored twine is also used for tying, bundling, cooking, crafting, and decorative application.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	1-ply	50lb. reel	1	50#	200	MEX 1025
Natural-Tan	2-ply	50lb. reel	1	50#	265	MEX 1050
Natural-Tan	2-ply	1lb. ball (330')	9	9#	265	MEX 1048



Sisal Rope

SISAL ROPE *GREAT WHITE®*

All natural and unoiled sisal rope is biodegradable and eco-friendly. This strong and twisted wheat colored rope offers minimal stretch and bulk, and is used in gardening, crafting, animal care, tie down, and decorative application, or when clean untreated product is needed.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	1/4"	50ft. coil	12	12#	385	MEX 15
Natural-Tan	1/4"	100ft. coil	12	24#	385	MEX 16
Natural-Tan	1/4"	1,500ft. coil	1	30#	385	MEX 14
Natural-Tan	5/16"	1,575ft. coil	1	50#	640	MEX 201
Natural-Tan	3/8"	50ft. coil	12	20#	865	MEX 50
Natural-Tan	3/8"	100ft. coil	12	40#	865	MEX 17
Natural-Tan	1/2"	50ft. coil	12	50#	1,700	MEX 202
Natural-Tan	1/2"	100ft. coil	12	100#	1,700	MEX 18
Natural-Tan	1/2"	600ft. coil	1	50#	1,700	MEX 200



Jute Twine

JUTE TWINE *GREAT WHITE®*

All natural jute twine is an eco-friendly three strand twist providing soft touch, little stretch, and good knot retention. Biodegradable, breathable, not oiled, and used when strength is not a factor, jute twine is ideal for agricultural, gardening, bundling, and crafting application.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	3-ply	½ lb. tube	72	36#	84	THA 980
Natural-Tan	4-ply	½ lb. tube	72	36#	112	THA 995
Natural-Tan	3-ply S/E	5,750ft. reel	1	50#	360	THA 1005
Natural-Tan	4-ply M/E	16,875ft. reel	1	50#	112	THA 1000
Natural-Tan	5/16"	1,575ft. reel	1	50#	180	THA 1020
Natural-Tan	1/2"	600ft. spool	1	50#	425	THA 1040



Jute Welt Cord

JUTE WELT CORD *GREAT WHITE®*

Jute welt cord is a thick and soft natural fiber product made from 100% jute. It can be used as piping in furniture, manufacturing and repair, as well as in industrial application where biodegradable eco-friendly product is required.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	5/32"	1,600ft. tube	6	60#	N/A	THA 1010



Jute Rope

JUTE ROPE *GREAT WHITE®*

Similar to jute twine, but harder and offering better grip, jute rope is soft, pliable, biodegradable, breathable, lightweight, not oiled, and used for packing, bundling, crafting, gardening, and household application.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	5/16"	1,575ft. coil	1	50#	180	THA 1020
Natural-Tan	1/2"	600ft. spool	1	50#	425	THA 1040



Italian Ruby® Rope

ITALIAN RUBY® ROPE *GREAT WHITE®*

Italian Ruby® rope is a biodegradable and non-carcinogenic flax based rope. With an impressive 285 pound break strength and limited elongation, this all natural rope stays cool under warm temperature and maintains solid moisture absorption, making it ideal for temporary cable tying application. Seaco Industries is the sole importer of Italian Ruby® products in North America; made exclusively in Italy.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	4-ply/10 lb.	1,500ft. tube	1	10#	132	ITA 200



Italian Ruby® Spring Twine

ITALIAN RUBY® SPRING TWINE *GREAT WHITE®*

Italian Ruby® spring twine is the highest caliber premium flax based twine available. This luxurious twine is used primarily in the manufacture and repair of fine furniture in America, but is also used in cable tying and crafting application. Seaco Industries is the sole importer of Italian Ruby® products in North America; made exclusively in Italy.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	1 lb. ball	200ft.	84	84#	245	ITA 940
Natural-Tan	5 lb. tube	1,000ft.	30	150#	245	ITA 945
Natural-Tan	S/E reel	9,000ft.	2	100#	245	ITA 950
Natural-Tan	M/E reel	9,000ft.	2	100#	245	ITA 955



Italian Ruby® Stitching Twine

ITALIAN RUBY® STITCHING TWINE *GREAT WHITE®*

Italian Ruby® stitching twine is the highest caliber premium flax based twine currently available. This highly coveted twine is used in fine furniture manufacture and repair, and is also used in the manufacturing of fireworks. Seaco Industries is the sole importer of Italian Ruby® products in North America; made exclusively in Italy.

Color	Size	Length	Pack	Weight	Strength	Part#
Natural-Tan	1/2# ball	690ft.	120	60#	N/A	ITA 960



Italian Ruby® Sausage Twine

ITALIAN RUBY® SAUSAGE TWINE *GREAT WHITE®*

Italian Ruby® sausage twine is a premium all natural flax used in the making and producing of fine sausage and prosciutto delicacies across the world. Its unique edge makes this remarkable twine stand apart from other more generic twines. Seaco Industries is the sole importer of Italian Ruby® twine products in North America; made exclusively in Italy.

Color	Size	Length	Pack	Weight	Strength	Part#
Tan/Natural	1 lb.	1,300ft. ball	27	14#	N/A	ITA 965



Italian Ruby® Prosciutto Twine

ITALIAN RUBY® PROSCIUTTO TWINE *GREAT WHITE®*

Italian Ruby® prosciutto twine is virtually identical to our other Italian Ruby® twines, holding the same remarkable properties, with the exception of its slightly thicker diameter size. This premium twine is used in the making and producing of prosciutto and cheese delicacies across the globe. Seaco Industries is the sole importer of Italian Ruby® products in North America; made exclusively in Italy.

Color	Size	Length	Pack	Weight	Strength	Part#
Tan/Natural	4-ply/10lb.	1,500ft. tube	1	10#	N/A	ITA 970
Tan/Natural	4-ply/10lb.	1,500ft. tube	10	100#	N/A	ITA 970



Sausage Twine Ball

SAUSAGE TWINE BALL *GREAT WHITE®*

Sausage twine is a 100% unbleached natural cotton. It is lightweight and flexible, and can withstand oven temperatures without burning. Available in four ply 1/6 pound ball construction, this particular twine is used nationwide in restaurants, commercial kitchens, and sausage manufacturing facilities; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White 4-ply Cotton	1/6 lb.	800ft. ball	180	36#	N/A	ROC 170



Lamp Wick

LAMP WICK *GREAT WHITE®*

Lamp wick, often deemed an "old school" plumbing supply essential, is 100% cotton and used in industrial trade. Available by the ball, lamp wick provides another option to modern pipe tape and dope application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	Fine	2oz. ball	396	50#	N/A	TRI 250
White	Medium	2oz. ball	396	50#	N/A	TRI 245



Quick Wick

QUICK WICK *GREAT WHITE®*

Virtually identical to lamp wick, but thinner in thickness, quick wick is 100% cotton and used in industrial trade. Available by the tube, quick wick is used in plumbing, pipe fitting, and packing threaded joint application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1-ply	1oz. tube	432	27#	N/A	TRI 255



Tying Twine/Cable Cord

TYING TWINE/CABLE CORD *GREAT WHITE®*

Cable cord tying twine is a blend of cotton and polyester yarn. It offers durability, soft feel, and versatility including chalk line, crab line, macramé, tying, and bundling application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White #18	1/4 lb.	255ft. ball	192	48#	35	ROC 900
White #21	1/4 lb.	225ft. ball	192	48#	40	ROC 901
White #24	1/4 lb.	195ft. ball	192	48#	45	ROC 902
White #36	1/4 lb.	128ft. ball	192	48#	70	ROC 903



Welt Cord

WELT CORD *GREAT WHITE®*

Welt cord, also known as mop cord, is a thick and soft natural 100% cotton. It is often used in furniture manufacture and repair and is the preferred choice for pillow and bedding piping application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	6/4-ply	1,700ft. tube	12	65#	N/A	ROC 285



Butcher's Twine Ball

BUTCHER'S TWINE BALL *GREAT WHITE®*

Butcher's twine, also known as cooking twine, is a heat resistant, twisted unbleached cotton, allowing for strength, flexibility, and knot retention. Its center pull ball construction and size provides for easy use and convenient storage. Often deemed a kitchen tool essential, this preferred twine is not only used for cooking application, but also is used for bundling recyclables and tying shrubbery; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White 16-ply Cotton	1/2 lb.	375ft. ball	12	6#	34	ROC 180
White 16-ply Cotton	1/2 lb.	375ft. ball	96	48#	34	ROC 180
White 24-ply Cotton	1/2 lb.	375ft. ball	12	6#	50	ROC 185
White 24-ply Cotton	1/2 lb.	375ft. ball	96	48#	50	ROC 185
White 24-ply Polyester	1/2 lb.	375ft. ball	12	6#	50	ROC 205
White 24-ply Polyester	1/2 lb.	375ft. ball	96	48#	50	ROC 205



Butcher's Twine Cone

BUTCHER'S TWINE CONE *GREAT WHITE®*

Butcher's twine, also known as cooking twine, is a heat resistant, twisted unbleached cotton, allowing for strength, flexibility, and knot retention. Its cone shaped construction provides for easy use and storage. Often deemed a kitchen tool essential, this preferred twine is not only used for cooking application, but also is used for bundling recyclables and tying shrubbery; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White 3-ply Cotton	2 lb.	10,200ft. cone	25	54#	6	ROC 100
White 4-ply Cotton	2 lb.	7,800ft. cone	25	54#	8	ROC 110
White 6-ply Cotton	2 lb.	5,160ft. cone	25	54#	13	ROC 175
White 8-ply Cotton	2 lb.	3,900ft. cone	25	54#	17	ROC 115
White 10-ply Cotton	2 lb.	3,000ft. cone	25	54#	21	ROC 120
White 12-ply Cotton	2 lb.	2,400ft. cone	25	54#	26	ROC 125
White 16-ply Cotton	2 lb.	2,160ft. cone	25	54#	34	ROC 130
White 20-ply Cotton	2 lb.	1,800ft. cone	25	54#	43	ROC 135
White 24-ply Cotton	2 lb.	1,500ft. cone	25	54#	50	ROC 140
White 30-ply Cotton	2 lb.	1,180ft. cone	25	54#	62	ROC 145



Butcher's Twine Cone with Red Tail

BUTCHER'S TWINE CONE WITH RED TAIL *GREAT WHITE®*

Butcher's twine cone with red tail, also known as cooking twine, is a heat resistant, twisted and unbleached cotton, allowing for strength, flexibility, and knot retention. Its cone shaped construction and red tail feature provides for easy use and storage, letting you know when the end of your twine is near. Often deemed a kitchen tool essential, this preferred twine is not only used for cooking application, but also is used for bundling recyclables and tying shrubbery; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White 8-ply Cotton	5 lb.	9,750ft. cone	12	64#	17	ROC 150
White 10-ply Cotton	5 lb.	7,500ft. cone	12	64#	21	ROC 155
White 12-ply Cotton	5 lb.	6,000ft. cone	12	64#	26	ROC 160
White 16-ply Cotton	5 lb.	5,400ft. cone	12	64#	34	ROC 165



Butcher's Twine Cone without Red Tail

BUTCHER'S TWINE CONE WITHOUT RED TAIL *GREAT WHITE®*

Butcher's twine cone without red tail, also known as cooking twine, is a heat resistant, twisted unbleached cotton, allowing for strength, flexibility, and knot retention. Its cone shaped construction provides for easy use and storage. Often deemed a kitchen tool essential, this preferred twine is not only used for cooking application, but also is used for bundling recyclables and tying shrubbery; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White 8-ply Cotton	5 lb.	9,750ft. cone	12	64#	17	ROC 152
White 12-ply Cotton	5 lb.	6,000ft. cone	12	64#	26	ROC 161



Bakery Twine

BAKERY TWINE *GREAT WHITE®*

Bakery twine, also known as variegated twine, is an eco-friendly cotton polyester blend food safe cord. Its durability, cotton feel, and break by hand features, along with its convenient cone construction, make this four ply twine a favorite for bakers, chefs, and crafters; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Red/White 4-ply	2 lb.	7,800ft. cone	25	54#	8	ROC 215
Blue/White 4-ply	2 lb.	7,800ft. cone	25	54#	8	ROC 220
Green/White 4-ply	2 lb.	7,800ft. cone	25	54#	8	ROC 225
Brown/White 4-ply	2 lb.	7,800ft. cone	25	54#	8	ROC 230
White 4-ply	2 lb.	7,800ft. cone	25	54#	8	ROC 110



Diamond Braid Nylon Rope

DIAMOND BRAID NYLON ROPE *GREAT WHITE®*

Diamond braid nylon is a strong and flexible rope that does not twist or unravel due to its braided pattern. Highly moisture, abrasion, and mildew resistant, this multi-purpose indoor outdoor smooth rope boasts impressive stretch and shock absorption, feels good on hand, and knots easily.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. coil	12	8#	1,200	DBN 100
White	1/4"	100ft. coil	12	16#	1,200	DBN 101
White	3/8"	100ft. coil	12	36#	2,300	DBN 102



Diamond Braid Polyester Rope

DIAMOND BRAID POLYESTER ROPE *GREAT WHITE®*

Diamond braid polyester rope is similar to nylon diamond braid in appearance and strength with its smooth braided pattern, high resistance to abrasion, oil and rot, but offers less stretch. This versatile synthetic rope holds up well in wet outdoor environment and does not twist or unravel.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. coil	12	8#	900	DPR 100
White	1/4"	100ft. coil	12	16#	900	DPR 101
White	5/16"	50ft. coil	12	14#	1,800	DPR 102
White	5/16"	100ft. coil	12	28#	1,800	DPR 103
White	3/8"	100ft. coil	12	42#	2,400	DPR 104



Diamond Braid Multifilament Rope

DIAMOND BRAID MULTIFILAMENT ROPE *GREAT WHITE®*

Diamond braid multifilament is an economical all-purpose rope that is lightweight, durable, and flexible. Soft and smooth in feel due to its braided pattern, this highly resistant abrasion, rot, and mildew rope is used for general tie down.

Color	Size	Length	Pack	Weight	Strength	Part#
White	1/4"	50ft. coil	12	6#	1,000	MDB 100
White	1/4"	100ft. coil	12	12#	1,000	MDB 101
White	5/16"	100ft. coil	12	20#	1,500	MDB 102
White	3/8"	100ft. coil	12	32#	2,250	MDB 103
White	1/2"	100ft. coil	12	48#	2,600	MDB 104



Clothesline

CLOTHESLINE *GREAT WHITE®*

Clothesline is a 100% polyester fiber, offering dependability and affordability. This reliable no non-sense braided cord, is flexible, easy to store, and quick to dry. Designed to last, this multi-purpose white rope is a favorite for indoor outdoor application, including hanging clothes, backpacking, camping, crafting, jumping rope, play, and DIY projects; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
White	#6 (3/16")	50ft. hank	12	6#	N/A	ROC 390
White	#6 (3/16")	100ft. hank	12	12#	N/A	AIK 395
White	#7 (7/32")	100ft. hank	12	15#	N/A	AIK 400
White	#8 (1/4")	100ft. hank	12	21#	N/A	AIK 405



Horticultural Twine

HORTICULTURAL TWINE *GREAT WHITE®*

Horticultural twine, also known as garden twine, is dark green, 100% cotton, biodegradable, and available in a variety of ply's, colors, and put-ups. Often deemed an essential tool for staking plants, this twine is used in gardening and agricultural application; made in the U.S.A.

Color	Size	Length	Pack	Weight	Strength	Part#
Green 4-ply Cotton	2lb.	7,800ft.	25	54#	8	ROC 235



Electric Rope Cutter

ELECTRIC ROPE CUTTER

This reliable and efficient electric rope cutter heats quickly and cuts through synthetic fiber with ease. Its sharp blade and practical construction gives the ability to cut and to seal rope ends simultaneously. Changing blades are simple. Expect heating up to 1,200 degrees, 120 volts, and 48 Watts.

Details	Specs	Pack	Weight	Part#
Cut up to 1" rope	120v/48w/.4 amp	1	5#	ELC 100
Replacement blades		1	1#	ELC 101



Cordage Meter

CORDAGE METER

This functional cordage meter makes measuring rope simple and easy. It can conveniently accommodate rope diameters from 1/4" to 3/4" and has foot counter that reads up to 9,999 ft. This meter also conforms to U.S.A. and Canadian weight and measure specifications.

Details	Specs	Pack	Weight	Part#
Measure 1/4" to 3/4"	conforms to U.S.A./CANADA	1	5#	ELC 102



PREMIUM INDUSTRIAL ROPE

SEACO AUTHORIZED DISTRIBUTOR



- Retail Assortments
- Countertop Displays
- POP-UP Displays
- Industrial Racks
- Signage & Banners





ROPE CARE, CAUTIONS & INSPECTION GUIDE

Storage and Care: All rope should be stored clean, dry, out of direct sunlight and away from extreme heat. Some synthetic rope may be severely weakened by prolonged exposure to ultraviolet (UV) rays, unless specifically stabilized and/or pigmented to increase its UV resistance. UV degradation is indicated by discoloration and the presence of splinters and slivers on the surface of the rope. To properly unreel rope, a shaft should be inserted through the center of the reel, and the rope should be pulled off the top while the reel is free to rotate. Reverse rope ends regularly to promote even wear and assure a longer life. Apply a steady, even pull to achieve full strength from rope or synthetic cable.

Overloading and Use of Working Loads: Because of the wide range of rope use, exposure to the several factors affecting rope behavior and the degree of risk to life and property involved, it is virtually impossible to make blanket recommendations as to working loads. However, to provide guidelines, working loads are tabulated for rope in good condition with appropriate splices, in noncritical applications and under normal service conditions. A higher working load may be selected only with expert knowledge of conditions and professional estimate of risk, and if the rope has not been subject to dynamic loading or other excessive use and if the rope has been inspected and found to be in good condition, and is to be used in the recommended manner: and if the applications do not involve elevated temperatures, extended periods under load or obvious dynamic loading, such as sudden drops, snubs or pickups. Many uses of rope involve serious risk of injury to personnel or damage to valuable property. This danger is often obvious, as when a heavy load is supported above one or more workers. An equally dangerous situation occurs if personnel are in line with a rope under tension. Should the rope fail, it may recoil with lethal force. Persons should be warned against the serious danger of standing in line with any rope under tension. In all cases where such risks are present, or there is any question about the loads involved or the conditions of use, the working load should be substantially reduced. Minimum breaking strength is based on test data of new, unused rope and is a value not greater than two standard deviations below the mean.

Dynamic Loading Voids Normal Working loads: Normal working loads are not applicable when rope is subject to significant dynamic loading. Instantaneous changes in load, up or down, in excess of 10% of the line's rated working load constitute hazardous shock load and would void the normal working loads. Whenever a load is picked up, stopped or swung, there is an increased force due to such dynamic loading. The more rapidly actions occur, the greater the increase will be. In extreme cases, the force put on the rope may be two, three or even more times the normal load involved and may result in the rope parting. Examples could be picking up a tow on a slack line or using a rope to stop a falling object. Therefore, in all dynamic applications, working loads



as given do not apply. Users should be aware that dynamic effects are greater on a low elongation, high-modulus rope such as Aramid and lesser on a higher-elongation, nylon-based product. Dynamic effects are greater on a shorter rope than on a longer one. This means, however, that when the working load has been used to select a rope, the load must be handled slowly and smoothly to minimize effect and avoid exceeding provision for it.

Abrasion: Avoid all abrasive situations. Rope can be severely damaged if subjected to rough surfaces or sharp edges. Chocks, bits, winches, drums and other surfaces must be kept in good condition and free of burrs and rust. Sheaves must be free to rotate and should be of proper size to avoid excessive wear. Clamps and similar devices will damage and weaken the rope and should be used with extreme caution. Do not drag rope over rough ground. Dirt and grit picked up by rope can work into the strands, cutting the inside fibers and reducing the rope's strength.

Chemicals: Avoid chemical exposure, as rope is apt to be damaged. Acids and Alkalis are damaging to rope and fibers. Caution should be used when ropes are used around cleaning acids, caustic soda and paints. Proper inspection should be made prior to use.

Temperature: The tensile strength charts apply to ropes tested at normal room temperature (70°F). Ropes have lower tensile strengths at higher temperatures. Continued exposure at elevated temperatures can melt and part synthetic ropes or cause permanent damage.

Dielectric Strength: We recommend that you consider all ropes, regardless of their initial new rated dielectric strength, as conductive in service. Dielectric property testing applies only to new, unused clean rope, and holds true only under these ideal conditions. Dirt, grease, moisture, and other contaminants will increase conductivity greatly. Nylon or natural fiber ropes should not be used around energized lines.



Manufacturing Utility Rope-Made in the U.S.A.

Inspection Our website provides a detailed inspection guide showing the common inspection scenarios by rope type as shown below.

Single Braid

Protruding Strand



THE REPAIR: Work the strand back into the rope as soon as you notice it, by carefully tugging on adjacent strands until the excess is distributed evenly. A protruding strand in service could easily snag or break, causing further complications.

Abrasion



THE REPAIR: There isn't a repair for abrasion, but you should still inspect for it. If the strength loss is minimal, go ahead and continue use. If the strength loss is moderate, consult Yale or retire the rope. If it's excessive, always retire.

Melting or Glazing



THE REPAIR: If possible, remove the affected section and re-splice with an end-for-end splice. Otherwise – or if you suspect the rope has experienced shock loading – retire the rope.

Cut Strand



THE REPAIR: If possible, remove the affected section and re-splice with an end-for-end splice. If re-splicing is not possible, retire the rope. As a general rule, 12-strand ropes should be retired when more than three broken strands are visible.

Diameter Change



THE REPAIR: If the diameter is reduced by less than 10 percent, it is still able to remain in service. If the diameter reduction is 11–20 percent, downgrade the rope. Should the diameter reduction from new to used exceed 20 percent, retire the rope.

Incorrect End-to-End Splice



THE REPAIR: Re-splice the rope correctly.

Balanced Double Braid

Protruding Strand



THE REPAIR: One to four strands spaced out by several feet can be removed and rewoven into the line with minimal impact on strength (less than 12 percent).

Deeply Abraded Spot



THE REPAIR: If you encounter a deeply abraded spot, where more than 50 percent of the strand is affected, you can re-splice the rope to repair it.

Worn-Out Eye



THE REPAIR: To repair a worn-out eye, you'll want to shorten, re-splice and reverse the rope. Proceed by putting the unused end into service.

Discontinuity In Rope Diameter



THE REPAIR: Open the rope sleeve to remove and inspect the core. If the core is parted, you will need to retire the rope.

High-Modulus Double Braid

Flat Spot Inside Rope



THE REPAIR: Open the rope sleeve to remove and inspect the core. If the core is parted, you will need to retire the rope.

Bumps On Cover



THE REPAIR: This rope can be returned to service. Simply flex the rope to remove the compression.

Cut Strand



THE REPAIR: As long as the core remains covered, you can repair cut strands by whipping into place, without impact on the strength.

8-Strand Plaited

Abraded Spot



THE REPAIR: If you encounter an abraded spot with excessive damage, you can cut out and re-splice the section.

Cut Strand



THE REPAIR: If possible, remove the affected section and re-splice with an end-for-end splice. If re-splicing is not possible, retire the rope.

Braid Lay Length Change



THE REPAIR: If permanent deformation results in a longer lay length in excess of 15 percent, retire the line.

Parallel Core

Protruding Strand



THE REPAIR: To repair a protruding strand on a parallel core rope, you'll need to cut off excess strand, execute a careful heat seal and whip with twine.

Abrasion



Abraded spot



Deep abrasions through the rubber but not into the core



Deep abrasions through the rubber and damaging the core

THE REPAIR: To repair an abraded spot, evaluate the depth of the abrasion. If the rubber jacket is not compromised, whip and return to service. If you notice deep abrasions through the rubber but not into the core, you can repair the rubber layer and then whip the area. Abrasions and cuts through the rubber layer and damaging the core should be cut out and repaired with TechJoin.™



TERMS, CONDITIONS & POLICIES

Order Minimum: Minimum orders are \$500.00, based on net prices.

Terms: Net 30 days when credit is established. All other orders are COD. A service charge of 1% per month will be added to outstanding balances over 30 days past due date. A credit application is required prior to any account establishing a credit line. Credit lines will be established based on credit history and banking information. Any account sent to collection may be subject to, but not limited to, collection fees, attorney fees, and processing and handling fees, attributed to said action.

Freight: All items listed in this catalog may ship from any of our Seaco Industries warehouses. All shipments may be subject to full freight charges, FOB Seaco Industries, unless discussed in advance with your Seaco Industries representative. Please inquire about free freight.

Prices: All prices are subject to change without notice based on commodity markets. We will make all efforts to keep prices consistent, but in the event of any sudden price change, we will make every effort to notify of said changes. Sales tax will be collected from all accounts unless a resale or exempt certificate is presented at time of purchase. Seaco Industries is not responsible for errors or mistakes reflected in our catalog and distributor price list.

Returned Merchandise: All returns must be approved by Seaco Industries in advance. An authorization form must be submitted and received before merchandise returns will be accepted. Merchandise returned for the convenience of the customer will be charged a 20% restocking fee and must be returned at the customer's expense. Convenience returns must be in unopened and unused condition, and subject to prior approval. Any special ordered products shall be considered final sale, and may not be returned for any reason whatsoever.

Quality: Seaco Industries has a policy of continuous product development and reserves the right to make changes and improvements in the construction of our products without prior notice. Our products are manufactured to the highest quality possible. All rope and twine product footages are subject to a plus or minus 5% variation.

Care: Proper care and use of our product is essential to ensuring a safe working environment. Because of the wide range of uses, conditions, and exposures to various factors affecting rope and twine product, it is virtually impossible for Seaco Industries to offer a 100 percent fail proof recommendation as to the correct choice and size of rope and twine product in any particular application. Proper choice, care, and inspection of rope and twine product is imperative for reasonably safe usage. Please take into account working loads, temperatures, abrasions, chemicals, knots, splicing, cutting, storage, sunlight degradation, and all other prudent safety precautions, as well as the appearance of all rope and twine product on a regular basis.



ECLIPSE



DOME



VISTA

SAFETY PROTECTION PORTABILITY

We've got you covered on-site with our Instant Shelter® products to keep your employees and gear out of the elements.

Additional Colors Available for All Models.

Sets Up in Seconds.™

1



2



3



EnDeavor



Authorized Dealer

Leading brands in safety



G-Tek 19-D322, S-XXL **G-TEK® 3GX® GREAT WHITE®**

DYNEEMA® DIAMOND TECHNOLOGY BLENDED GLOVE WITH PU COATED PALM



- Seamless construction offers increased comfort and breathability
- Dyneema® Diamond Technology blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coated palm for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip
- Available tri-folded and shrink-wrapped for vending machines (19-D322V)

ATG 34-874, S-XXL **MAXIFLEX™ BY ATG®**

SEAMLESS KNITS FOR GENERAL DUTY



- Ultra cool and very comfortable to wear, breathable coating keeps hands cool and dry
- Excellent dexterity, sensitivity, and tactility
- Designed to produce minimal lint and dust
- Minimal penetration (strike through) keeps the liner soft on the inside of the glove
- Silicone Free
- CFIA Approved



BOSS 8412, M-XL **BOSS® V2 FLEXI-GRIP®**

HIGH-VIS POLYESTER KNIT LATEX PALM

- 13 Gauge Fluorescent Polyester Shell
- Single Dip Latex Palm With Crinkled Grip
- Breathable Back



BOSS 901, M-XXL **BOSS® MEN'S HIGH-VIS**

TOUCHSCREEN MECHANIC WITH SYNTHETIC LEATHER PALM

- Men's High-Vis. Green Touchscreen Mechanic
- Black, Synthetic Leather Palm with Foam Padding
- Poly/Spandex Back with Foam Knuckle
- Touchscreen Panel on Index and Thumb
- Open Cuff



BOSS 7843, M-XL **BOSS THERM® PLUS II**

HIGH-VIS ORANGE LATEX COATED PALM

- Stretchable, Extra-Heavy, High-Vis Polyester Shell
- Brushed Interior for Warmth
- Textured Latex Coated Palm
- Knit Wrist



WESTCHESTER
PROTECTIVE GEAR®

PART OF THE **PIP** GLOBAL FAMILY

(800) 647-1900 | www.westchestergear.com

PROFESSIONAL TAPES FOR PROFESSIONAL JOBS

NEW! FROGTAPE® PERFORMANCE MASKING TAPES

Performance grade, medium-high adhesion masking tapes for use in industrial paint and coating applications that demand conformability, durability and resilience to withstand solvents and bake cycles in temperatures from 225 F to 325 F.



CP 27®



14-Day ShurRELEASE® Blue Painter's Tape

Premium grade, medium adhesion 14-day ShurRELEASE® painter's tape for indoor and outdoor use on multiple surfaces.

CF 120



FrogTape® brand Painter's Tape – Multi-Surface

Premium grade, multi-surface painter's tape made with patented PaintBlock® Technology for sharp paint lines in interior and exterior painting applications.

P- 628



Professional Grade, Coated Gaffer's Tape
Professional grade gaffer's tape for general applications in the convention, hospitality and A&E industries.

PC 9



Contractor Grade Co-Extruded Duct Tape

Contractor grade co-extruded duct tape for use across a variety of applications, surfaces and weather conditions; 9.0 mils.

HP 200®



Production Grade Hot Melt Packaging Tape

Production grade hot melt packaging tape for medium-weight carton sealing; 1.8 mils.

Find these tape solutions and more through Seaco, a strategic stocking partner of Shurtape Technologies.

Shurtape

TECHNOLOGIES



SHARK BOARD® FLOOR PROTECTION



GREAT WHITE® CONTRACTOR BAGS



GREAT WHITE® PAPER TOWELS



GREAT WHITE® CARPET PROTECTION FILM



ULTREX



FORTIS²®
SLING



MAXIBRAID




ULTREX



YALE
CORDAGE

**Unmatched in durability, strength, and weight,
Yale products will help you work smarter and safer - not harder.**

All products are proudly manufactured in the USA.



An exceptional rope,
twine & industrial supply company

524 S. COLUMBUS AVE
MT. VERNON NY 10550
PHONE: 914-664-5400
FAX: 914-664-5440

WWW.SEACOROPE.COM
EMAIL: INFO@SEACOROPE.COM

INDUSTRIAL SUPPLIES • BATTERIES • ELECTRICAL • JANITORIAL
KRAFT PAPER • SAFETY • STRECH WRAP • GLOVES • TAPE

NEVER BE AT THE END OF YOUR ROPE.®

